

ACCEPTED

3635-209

AUG 18 1976

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO.

OXFORD 1202 is recommended for use on hard (non-porous) surfaces or on dishes, glasses, food processing equipment or utensils including dairy and brewery equipment or utensils that need a strong sanitizer treatment with little or no cleansing action. This material is very effective on table tops, tanks, vats, floors and walls. It is also very effective on dishes, glasses, metallic utensils and equipment.

DIRECTIONS FOR USE

Dissolve 3/4 oz. OXFORD 1202 per 10 gal. of warm (90° – 120°F.) water to give a solution containing 100 ppm available chlorine. After cleaning to remove gross filth and heavy soil from surface, apply the sanitizing solution to the surface to be sanitized and let stand 2 to 5 minutes. After sanitizing step, allow surface to dry before using.

The same solution may be used in the feed tanks in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, allow items to dry before using.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional OXFORD 1202 should be added, to maintain a use solution of 100 ppm available chlorine.

SANITIZING SHELL EGG RINSE: Dissolve 3/4 oz. of OXFORD 1202 in 10 gal. of warm (90° to 120°F.) water. This provides 100 ppm of available chlorine.

OXFORD® 1202

ACTIVE INGREDIENT:

*Sodium dichloro-s-triazinetriane dihydrate34%

INERT INGREDIENTS:66%

*(Provides 19.1% available chlorine)

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling. Avoid contamination of foods. **FIRST AID:** If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

See other precautions on Side Panel.

EPA Reg. No. 3635-209

EPA Est. No. 3635-GA-1

Net Contents _____ Pounds

OG7G

FABRIC SANITIZER: After washing and rinsing, the wet fabric should be spin dried before application. Add 3/4 ounces OXFORD 1202 for each 10 gallon wash load. (This provides 100 ppm available chlorine). Run the solution through the prewash cycle followed by the regular wash cycle.

DANGER

STRONG OXIDIZING AGENT

Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°F. – 475°F. with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PLB-5

I.C.C.: Dry Cleaning Compound

OXFORD
CHEMICALS



OXFORD® 1202

ACTIVE INGREDIENT:

*Sodium dichloro-s-triazinetriane dihydrate34%

INERT INGREDIENTS:

.66%
*(Provides 19.1% available chlorine)

FABRIC SANITIZER: After washing and rinsing, the wet fabric should be spin dried before application. Add 3/4 ounces OXFORD 1202 for each 10 gallon wash load. (This provides 100 ppm available chlorine). Run the solution through the prewash cycle followed by the regular wash cycle.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling. Avoid contamination of foods. **FIRST AID:** If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

See other precautions on Side Panel.

EPA Reg. No. 3635-209

EPA Est. No. 3635-GA-1

Net Contents _____ Pounds

0G7G

PLB-5

DANGER


STRONG OXIDIZING AGENT

Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°F. — 475°F. with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

REORDER FROM
OXFORD CHEMICALS
P. O. BOX 80202
ATLANTA, GEORGIA 30341

OR CALL COLLECT
AREA (404) 451-4311



OXFORD
CHEMICALS



ACCEPTED
3635-209
AUG 18 1976

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.

OXFORD 1202

OXFORD 1202 is recommended for use on hard (non-porous) surfaces or on dishes, glasses, food processing equipment or utensils including dairy and brewery equipment or utensils that need a strong sanitizer treatment with little or no cleansing action. This material is very effective on table tops, tanks, vats, floors and walls. It is also very effective on dishes, glasses, metallic utensils and equipment.

DIRECTIONS FOR USE

Dissolve 3/4 oz. OXFORD 1202 per 10 gal. of warm (90° - 120°F.) water to give a solution containing 100 ppm available chlorine. After cleaning to remove gross filth and heavy soil from surface, apply the sanitizing solution to the surface to be sanitized and let stand 2 to 5 minutes. After sanitizing step, allow surface to dry before using.

The same solution may be used in the feed tanks in immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. After sanitizing step, allow items to dry before using.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional OXFORD 1202 should be added, to maintain a use solution of 100 ppm available chlorine.

SANITIZING SHELL EGG RINSE: Dissolve 3/4 oz. of OXFORD 1202 in 10 gal. of warm (90° to 120°F.) water. This provides 100 ppm of available chlorine.

ACTIVE INGREDIENT:

*Sodium dichloro-s-triazinetriolone dihydrate34%

INERT INGREDIENTS:

.....66%
*(Provides 19.1% available chlorine)

FABRIC SANITIZER: After washing and rinsing, the wet fabric should be spin dried before application. Add 3/4 ounces OXFORD 1202 for each 10 gallon wash load. (This provides 100 ppm available chlorine). Run the solution through the prewash cycle followed by the regular wash cycle.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling. Avoid contamination of foods. **FIRST AID:** If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

See other precautions on Side Panel.

EPA Reg. No. 3635-209
EPA Est. No. 3635-GA-1

Net Contents _____ Pounds

OGTG

DANGER

STRONG OXIDIZING AGENT

Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°F. - 475°F. with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PLB-5

L.C.C.: Dry Cleaning Compound

OXFORD
CHEMICALS



A CONSOLIDATED FOOD COMPANY
RESPONSIVE TO CONSUMER NEEDS

P.O. BOX 80202, ATLANTA, GEORGIA 30344

OXFORD 1202

ACTIVE INGREDIENT:

*Sodium dichloro-s-triazinetrione dihydrate34%

INERT INGREDIENTS:

.....66%
*(Provides 19.1% available chlorine)

FABRIC SANITIZER: After washing and rinsing, the wet fabric should be spin dried before application. Add 3/4 ounces OXFORD 1202 for each 10 gallon wash load. (This provides 100 ppm available chlorine). Run the solution through the prewash cycle followed by the regular wash cycle.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling. Avoid contamination of foods. **FIRST AID:** If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

See other precautions on Side Panel.

EPA Reg. No. 3635-209
EPA Est. No. 3635-GA-1

Net Contents _____ Pounds

0676

PLB-5

DANGER

STRONG OXIDIZING AGENT

Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°F. - 475°F. with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

REORDER FROM
OXFORD CHEMICALS
P. O. BOX 80202
ATLANTA, GEORGIA 30341
OR CALL COLLECT
AREA (404) 451-4311



OXFORD
CHEMICALS



A CONSOLIDATED FOOD COMPANY
RESPONSIVE TO CONSUMER NEEDS

P. O. BOX 80202, ATLANTA, GEORGIA 30341