QUALITY®

OXFORD®
CHEMICALS
ATLANTA, GEORGIA

A CONSOLIDATED FOODS COMPANY

ACCEPTED
FEB 2 1980
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3635-231

BEST DOCUMENT AVAILABLE

REORDER FROM
OXFORD CHEMICALS
P.O. BOX 80202
ATLANTA, GEORGIA 30366

OR CALL COLLECT
AREA (404) 452-1100

OXFORD SPRAY-SECT

TRANSPARENT EMULSION** CONCENTRATE

A SYNTHETIC PYRETHROID

DUAL ACTION INSECT KILLER
KILLS AS CONTACT AND RESIDUAL SPRAY
KILLS ROACHES UP TO 4 WEEKS••

ACTIVE INGREDIENTS:

●*†Resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate	2.000% w/w
Related compounds	0.274%
INERT INGREDIENTS:	97.726%
	100.00% w/w

* Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

† U.S. Patent No. 3,466,007.

•• U.S. Patent No. 3,683,078.

● SBP-1382[1] of Penick Corporation, 1050 Wall Street West Lyndhurst, N.J. 07071.

Contains 0.17 pounds SBP-1382 per gallon

KEEP OUT OF REACH OF CHILDREN

WARNING

HAVE CLEAN WATER SUPPLY AT HAND IN CASE OF AN EYE EMERGENCY WHEN DILUTING THIS CONCENTRATE

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

CAN BE USED IN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

EPA Reg. No. 3635-231
EPA Est. 3635-GA-1

NET CONTENTS __ GALLONS

0E79 (K79) ISC-84

BEST DOCUMENT AVAILABLE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful if swallowed. Avoid contact with skin or clothing. Causes eye irritation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans or pets. Do not spray where food or drink is exposed or being consumed.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. When used on ships do not wash or flush freshly sprayed surfaces into adjacent waters.

FIRST AID

If swallowed, induce vomiting by sticking finger in back of throat or by administration of syrup of ipecac; get medical attention. If in eyes, flush with water for 15 minutes and see a physician. For skin, wash with plenty of soap and water. If irritation develops, get medical attention.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. FLASH POINT MINIMUM 140°F.

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store at temperatures above 32°F. Do not reuse empty container. Wrap container and put in trash collection.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In the home cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces.

DIRECTIONS FOR USE

DILUTION INSTRUCTIONS

For an emulsion containing 0.35% OXFORD SPRAY-SECT dilute:

Concentrate Fluid Ounces	To Volume Below With Water
1 1/2	8 fluid ounces
3	16 fluid ounces
6	32 fluid ounces
11.5	1/2 gallon
23	1 gallon

I.C.C.: Insecticide, O/T Agricultural

MIX WELL BEFOR

APPLICATIONS:

INSTRUCTIONS RESIDUAL SPRAY

FOR INDOOR US handling establishm office, residential, p buildings, homes, h In hospitals patient treatment. Also for non-food areas of t holds. Do not use surfaces that can b Also for use indoo stables. In horse stal will be used for food

CONTACT SPRAY INFESTATIONS: C SILVERFISH, ANTS spray tank with OX Spray formulation. K inches from surface and nozzle to deliv possible, spray di infestations. Spray such as cracks, cr around pipes and other appliances, ba Apply spray until are of run-off. Spray dire Repeat as necessary

ANTS: To kill ants of entry within build where possible. Rep

FLEAS: Aids in the and in horse stalls. inches from areas t resting areas and flo spray until area is mo way. Also spray entir Repeat as necessary treated areas until sp animal feed before s and horses with a r before they re-enter

RESIDUAL SPRAY COCKROACHES, ANTS. Kills for up t cracks and crevices frames, and other hi back of and under ap in kitchens and bat hiding places in crack dark places. Apply a inch band until area point of run-off. Rep