



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PESTICIDES AND TOXIC SUBSTANCES

JAN 10 1991

JAN 15 1991

Ms. Susan Woodruff
Oxford Chemicals, Inc.
PO Box 80202
Atlanta, GA 30366

Subject: Revised Formula: Delete methylene chloride
Oxford Super Brand Insecticide
EPA Registration No: 3635-238
Submission: December 28, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The formula referred to above is acceptable and has been included in our files for this product. It is understood that use of methylene chloride in the formulation would no longer be consistent with the terms of registration.

We are uncertain of your intent concerning the source of piperonyl butoxide. You had previously cited registration 432-209. The record should be clarified to indicate the source. We also remind you that the lower certified limit should equal the label declaration for all active ingredients.

Sincerely,

Richard F. Mountfort

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

SUPER DRAIN INSECTICIDE

Pressurized Spray

Fast Knockdown • Quick Kill • Stainless

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting unless directed by a physician. Aspiration is a potential hazard. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities: cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, and other food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

L.C.C.: Insecticide, O.T.A.

Kills a wide variety of both flying and crawling insects: houseflies, mosquitoes, roaches and ants. Recommended for use in industrial plants, offices, hotels and motels, apartment houses, restaurants, hospitals and transportation facilities. Also recommended for meat packing plants, poultry plants, canneries, breweries, dairies, milk handling areas of milk, cheese, and ice cream plants and food processing plants of all types.

ACTIVE INGREDIENTS:

Pyrethrins I and II	0.50%
Piperonyl butoxide technical*	0.60%
N-octyl bicycloheptene dicarboximide	2.00%

INERT INGREDIENTS: 96.90%

TOTAL: 100.00%

*Equivalent to 0.48% (Butylcarbitol (2-propylpiperonyl) ether and 0.12% related compounds)

EPA Reg. No. 3635-238

EPA Est. 10807-GA-1

KEEP OUT OF REACH
OF CHILDREN

CAUTION

SEE SIDE PANEL FOR
CAUTIONS

NET CONTENTS
12-1 LB. 0.0...
SPRAY CANS

Sold By:

OXFORD CHEMICALS, INC.
ATLANTA, GEORGIA 30366

To spray, hold container upright and remove at Point valve opening away from face and pu button.

NOTE: In hospitals, patients should be removed prior to treatment. Do not return patient to room until after ventilation.

1. FLYING INSECTS: Houseflies, mosquito gnats, wasps and small flying moths: Close doors and windows. Spray up into the air with sweeping motion, keep about 3 feet from interior walls, fabrics, furniture and plants. Keep room closed for about 15 minutes then remove dead insects. A 4 to 5 second spraying will usually be sufficient for about 1000 square feet. It is unnecessary to completely fill the room with mist. Repeat as necessary for control.

2. CRAWLING INSECTS: Roaches, waterbug, silverfish and crickets: Spray hiding places, baseboards and floor boards, moist places, openings around sinks, drains and pipes, and behind box cases, hitting as many insects as possible. Repeat as necessary for control.

3. ANTS: Spray trails, hills, around window frames, door frames and openings around pipes and baseboards where ants crawl. Repeat as necessary for control.

4. CARPET BEETLES: Spray directly on the insects covering floors, baseboards, shelves and carpets. Repeat spraying at frequent intervals.

5. BEDBUGS: Spray baseboards, moulding floor boards, and infested areas of carpets and rugs. Spray mattresses particularly around seams and tufts. Take beds apart and spray all joints. Repeat as necessary for control.

6. SPIDERS, CENTIPEDES, SOW BUGS: Spray webs and places where these pests inhabit. Repeat as necessary for control.

7. FLEAS, TICKS: Spray floors, floor covering and sleeping quarters of pets. Destroy pets' old bedding and replace. Do not spray pets directly.

0178AG
AIS-1
(02)