

Dry Fog ULV Aerosol Insecticide

Kills Flies • Mosquitoes • Gnats • Wasps • and Other Flying Insects

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Avoid contamination of food and foodstuffs. Use the product in food processing plants only when plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned with detergent and water before using. Do not spray on food. Thoroughly ventilate treated area before re-entry.

Remove pots, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. DO NOT USE. POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Empty container completely before disposing. Replace cap and discard container in trash. Do not incinerate or puncture.

STORAGE

Contents under pressure. Store in dry place no lower in temperature than 50°F or higher than 120°F.

I.C.C.: Insecticide, O.T.A.

ACTIVE INGREDIENTS:

| | |
|--|-------|
| Pyrethrins | 0.50% |
| * Technical piperonyl butoxide | 1.01% |
| + N-Octyl bicycloheptene dicarboximide | 1.68% |

INERT INGREDIENTS

| | |
|--------------|----------------|
| | 96.81% |
| TOTAL | 100.00% |

* Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% other related compounds.

+ MGK-264 Insecticide Synergist.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

If swallowed, do not induce vomiting. Call physician immediately.

See left panel for additional precautionary statements.

EPA Reg. No. 3635-252

EPA Est. 49830-GA-1

Only For Sale To, Use, And Storage By Servicepersons.

NET CONTENTS 16.5 LBS.

DIRECTIONS

Use only in non-residential food handling areas of food plants, meat, poultry and egg processing plants, bakeries, dairies, mixing parlors, canneries, restaurants, cafeterias, grocery stores, packaged food storage warehouses, and bagged or bulk grain storage facilities.

FLIES, MOSQUITOES, GNATS, WASPS, FRUIT FLIES, AND SMALL FLYING MOTHS: Determine cubic feet of space to be treated. Install units near the ceiling with each unit covering not more than 50,000 cubic feet of space. Electrically wire units so that all units controlled by one timer will activate simultaneously. Application concentration is 1.5 grams of product per 1000 cubic feet of space. Units deliver an average flow rate of 4.0 grams per second at 72" F. Activate each unit for 10 seconds to treat 50,000 cubic feet. Do not remain in treated area. Keep area closed for at least 30 minutes. Ventilate area before re-entry. Set timer to activate units on desired frequency schedule. Sweep up and destroy fallen insects periodically.

STORED PRODUCT INSECTS (accessible stages), INCLUDING INDIAN MEAL (CHOCOLATE) MOTHS, ANGOUMOIS GRAIN MOTHS AND FLYING MEDITERRANEAN FLOUR MOTHS. Activate each unit for 18 seconds to treat 50,000 cubic feet. Set timer to activate units on desired frequency schedule. Infested stored food products should be fumigated or treated with an approved product.

MANUAL APPLICATION AS CONTACT AND SPACE SPRAY TO CONTROL FLIES, MOSQUITOES, WASPS, FRUIT FLIES AND SMALL FLYING MOTHS: Close doors and windows and shut off ventilation systems. Application concentration is 1.5 grams of product per 1000 cubic feet of space. Apply product with appropriate, high pressure, hand held, spray device. Direct spray into all cracks and crevices, behind all equipment, obstructions, and dark harborage to provide maximum penetration and impingement on insects. Then apply as a space spray, directing the spray towards the ceiling and upper corners of the area. Vacate the treated area and keep closed for at least one hour. Ventilate before reoccupying. Repeat treatment if necessary.

0386
AIS-29
(C17)

BEST AVAILABLE COPY