

3635-263

7-3-2003

1/3

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

ACCEPTED
JUL 3 2003
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 3635-263

CL-9 SANTIZER
Liquid Chlorinated Sanitizer

Makes Clear Solution in up to (30 grain) (or 400 ppm (as CaCO₃)) hard water • Sanitizer

For Industry (Institutional) Use (Only)
NOT SOLD FOR RESIDENTIAL USE

ACTIVE INGREDIENT:	
Sodium dichloro-s-triazinetriane dihydrate	20.0%
INERT (OTHER) INGREDIENTS:	80.0%
TOTAL:	100.0%

(9.0% minimum available chlorine)

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE. 1-800-851-7145
Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See additional precautionary statements on back (side) (left) (right) (panel) (of) (label) (below).

(See reference sheet (enclosed in case) for additional directions for use.)

Net Contents:

(Product of USA)


2/3

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

Recommended for use in sanitizing operations, food plants, dairies, restaurants, beverage and brewery operations.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



Concentration Chart

Available Chlorine

50 ppm
100 ppm

Dilution Rate

3/4 oz. to 10 gallons
1.5 oz. to 10 gallons

FOR SANITIZING UTENSILS, DISHES AND GLASSES IN HAND WASH OPERATIONS:

1. Pre-flush or pre-scrape utensils, dishes and glasses to remove gross food particles. Pre-soak if necessary.
2. Wash thoroughly with a DiverseyLever detergent.
3. Rinse with clean (potable) water.
4. Sanitize in a solution containing a 100 ppm available chlorine (1.5 oz. per gallons of water). Immerse all utensils, dishes and glasses for at least 2 minutes.
5. Place sanitized utensils on a rack or drainboard to air dry.

Note: NO POTABLE WATER RINSING is required. Prepare a fresh solution daily or more frequently if soil is apparent.

FOR SANITIZING UTENSILS AND EQUIPMENT IN CIRCULATION SYSTEMS, ONE-THROUGH OVERFLOW SYSTEMS OR BY SPRAYING:

1. Pre-flush system to remove gross food particles.
2. Wash system thoroughly with a DiverseyLever detergent.
3. Rinse system with clean (potable) water.
4. Sanitize in a solution containing of 100 ppm available chlorine (1.5 oz. per gallons of water). CIRUCULATE through system, FLUSH through system or SPRAY over all surfaces of system. Allow at least 2 minutes contact time with sanitizing solution.

Use solutions for circulating systems, once-through overflow systems or spray operations may not be re-used for sanitizing. Only one sanitization per solution is allowed. The solution may be used for cleaning or other purposes if it is not soiled.

EGG SANITIZING:

To sanitize clean shell eggs intended for food or food products, spray with a solution of 1.5 oz. of product in 10 gallons of water (providing 100 ppm available chlorine). The solution must be equal to or warmer than the eggs, but not to exceed 130° F. Wet eggs thoroughly and allow to drain. Eggs that have been sanitized with this chlorine compound may be broken for use in the manufacture of egg products without a prior potable water rinse. Eggs must be reasonably dry before casing or breaking. The solution must not be reused for sanitizing eggs.

MICROBIOLOGICAL DATA:

Method: Chlorine (Available) in Disinfectants, Germicidal Equivalent Concentration. A.O.A.C. 14th Edition, 1984, pgs. 68-69.

Results: This product at 100 ppm available chlorine (1.5 oz./10 gallons of water) is more than equivalent to 100 ppm of available chlorine derived from sodium hypochlorite. The organisms used in this test were *Salmonella typhosa* (ATCC 6539), *Staphylococcus aureus* (ATCC 6538) and *Listeria monocytogenes* (ATCC 15313).

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in a cool dry area. Keep lid closed to prevent loss of strength.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

(Plastic Containers) Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(Lined Fiber Drums) Completely empty inner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or incineration or if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

Need to write pouch disposal instructions.

ENVIRONMENTAL HAZARDS (for containers of 5 gallons or more)

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with acidic chemicals.

PELIGRO

Si no puede leer en ingles, pregunte a su supervisor sobre las instrucciones de uso apropiadas antes de trabajar con este producto.

EPA Reg. No. 3635-263

EPA Est. No. 875-OH-1 (Please note other establishments may be added as needed.)

DiverseyLever, Cincinnati, OH 45241

