



003635-00274-050699

Printed: 10:42:41 Friday, 28 May, 1999 # 60 / 3180

Systems Integration Group, Inc.



PRECAUTIONARY STATEMENTS (continued)

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL HAZARD: Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

METAL CONTAINERS - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINER - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

AIR WASHERS - GCO-10-LM is used to control bacteria and slime in industrial air washers that are equipped with effective mist eliminators. After precleaning, slug feed GCO-10-LM to sump or washer basin at 35 to 225 ounces per 1000 gallons of system water. Repeat dosage if necessary, to achieve control. Maintain system with subsequent treatments every 1 to 5 days using 35 to 225 fluid ounces per 1000 gallons of water. Frequency of treatment depends on system conditions.



SKU# 02296472

BATCH/LOT#

ACCEPTED
MAY - 6 1999
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 3635-274

Product No. 02296472

GCO-10-LM

BACTERIOSTAT AND ALGAEICIDE

FOR THE CONTROL OF MANY BIOFOULING ORGANISMS OCCURRING IN OPEN RECIRCULATING WATER COOLING TOWERS. WHEN USED AS DIRECTED, INHIBITS CORROSION AND SCALE BUILDUP IN TREATED SYSTEMS.

For Industry Use

ACTIVE INGREDIENT(S):

Poly [oxyethylene (dimethyliminio) ethylene (dimethyliminio) ethylene dichloride] 1.70%

INERT INGREDIENT(S): 98.30%

TOTAL 100.00%

This product contains 0.15 lb. of active ingredient per gallon and weighs 9.00 lb. per gallon. U.S. Patent No. 4,719,083

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT:

IF IN EYES: Flush eyes immediately with water for at least 15 minutes. Call a physician if irritation persists.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.
IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

**PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION**

Harmful if swallowed. Avoid breathing vapors. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

NET CONTENTS: 55 GAL (208.2 L)

DuBois Chemicals 1200 Chemed Ctr 255 E 5th St Cincinnati OH 45202-4799 800 438 2647
24 HOUR EMERGENCY TELEPHONE - Medical: (Call Collect) 303 592 1024 / Transportation: (CHEMTREC) 800 424 9300

PM 34
3635-274
5-6-99
1042

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	A

DIRECTIONS FOR USE (continued)

Alternatively, GCO-10-LM may be continuously fed to the system at the rate of 35 to 135 fluid ounces per 1000 gallons of system water.

PRECLEANING - To avoid unnecessary depletion of the GCO-10-LM, precleaning of heavily fouled systems is recommended. Mechanically remove as much reachable growth as possible with brushes and high pressure hose. Prevent loosened sludge from plugging equipment by placing a screen fence around the opening for the return line. Flush loosened matter out basin drain. Pump or bucket sludges from sumps and hot/cold wells.

COOLING TOWERS/OPEN RECIRCULATING SYSTEMS - Intermittent or slug treatment - After precleaning, turn off bleed for 4 to 12 hours. Do not use any other treatment during period of applying biocide. Initially slug feed GCO-10-LM to tower basin at 36 to 90 fluid ounces per 1000 gallons of system water. Repeat dosage, if necessary to achieve control. When control is evident, open bleed off valve and return to normal treatment. Maintain control with subsequent GCO-10-LM treatments using GCO-10-LM at 9 to 90 fluid ounces per 1000 gallons of water. Frequency of treatment depends upon the system and local conditions.

CONTINUOUS FEED METHOD - Initial Dose: When the system is noticeably fouled, add 36 to 90 fluid ounces of GCO-10-LM per 1000 gallons of system water. Subsequently, maintain this level by pumping a continuous feed of 9 to 90 fluid ounces of GCO-10-LM per 1000 gallons of water in the system lost by blowdown.

Badly fouled systems must be cleaned before treatment is begun.

ACCEPTED

MAY - 6 1999

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 3635-274

EPA Registration No. 3635-274

EPA Establishment No. 1072-CA-1; 875-0H-1; 875-CA-4



A Proud Participant in
Responsible Care
A Public Commitment

Made in USA

2042