

STERAMINE

SANITIZER — DISINFECTANT

Designed for Supermarket Use

ACTIVE INGREDIENTS:

Alkyl (50% C 14, 40% C 12, 10% C 16)
Dimethyl Benzyl Ammonium Chloride 10.0%

Isopropanol 2.4%

12.4%

INERT INGREDIENTS:

87.6%
100.0%

DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE.
Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Do not allow to come in contact with food. Do not reuse container. Destroy when empty. See First Aid precautions on side panel.

EPA Reg. No. 3640-17
EPA Est. No. 3640-WI-1

Net Contents: 96 - 4 ounce packets

Stearns Chemical Corporation
4200 Sycamore Avenue
Madison, Wisconsin

Patent No. 3,530,642

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

Note to Physician

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DIRECTIONS FOR USE

For use on counter tops, glasses, dish-ware and food processing equipment.

1. For Sanitization: Where soap is used in cleaning instead of detergent, rinse with water before sanitizing. Open pouch, pour contents into 16 gallons of water. Stir. Ready for use. Scrub all surfaces thoroughly. This use-dilution yields 200ppm active quaternaries. No rinse required.
2. For Disinfection: Open pouch, pour contents into 4 gallons of water. Stir. Ready for use. Scrub all surfaces thoroughly. This use-dilution yields 200ppm active quaternaries. When used for disinfection of previously cleaned food processing equipment and food contact items, RINSE with potable water.