

USES OF SANITERGENT MARK VII

MILK COOLER-Wash inside and out with 2-4 ounces SANITERGENT MARK VII per gallon of warm water. Higher concentrations may be used if soil is heavy.

ICE CREAM MACHINE-Disassemble and rinse in cold water. Rinse in a solution of SANITERGENT MARK VII, 2 ounces per gallon of water and reassemble the next morning.

ROOT BEER LINES-Clean weekly by using SANITERGENT MARK VII 1 ounce per gallon of warm water.

TABLES AND CUTTING BOARDS-Wash daily using a solution of 2-4 ounces SANITERGENT MARK VII per gallon of water. This will clean, sanitize and deodorize in one operation.

MALT MIXER-Cold water container is maintained to rinse the utensils throughout the day. At the end of the day, use 1 ounce SANITERGENT MARK VII per gallon of water.

COFFEE MAKER-Fill coffee maker to the level to make coffee, measuring the amount of water used. Dissolve 1 ounce of SANITERGENT MARK VII for each gallon of water. Heat to the temperature of making coffee and let stand or circulate for 5-10 minutes. Drain and flush thoroughly with water making certain no chlorine is present. All stain will have been removed.

FOOD WARMERS-(Chili, Bar B Q, Hot Beef) Wash nightly using 1 ounce of SANITERGENT MARK VII per gallon of water. Rinse before reuse. Each 2 weeks use SANA-CLEAN to remove lime scale in water heating compartment which cuts down its efficiency--add until scale is gone.

WASH ROOMS-TO DEODORIZE AND SANITIZE--Use 1 ounce SANITERGENT MARK VII per gallon of warm water.

CAUTION: Thoroughly rinse equipment cleaned with SANITERGENT MARK VII as directed above with a solution of 1/2 ounce per gallon of water before reusing to prevent contamination of food. Avoid contact of concentration with skin and eyes. If contact occurs, flush with water. Harmful if swallowed.

USA Reg. No.

**MARK VII
SANITERGENT**
A DETERGENT-SANITIZER

BEST DOCUMENT AVAILABLE

ACTIVE INGREDIENTS:

Sodium dichloro-s-triazinetrione 3.47%
(Sodium Dichloroisocyanurate)
(available chlorine 2.108%)

Sodium Metasilicate 20.00%
(anhydrous)

Total: 23.47%

INERT INGREDIENTS:

76.53%

Total: 100.00%

ACCEPTED
4/25/67
3640-52
CAUTION

KEEP OUT OF REACH OF CHILDREN
See other warnings on left panel.

SANITATION SYSTEM

Packed For

MR. QUICK DRIVE-IN
Monmouth, Illinois

STEARNS CHEMICAL CORPORATION
MANUFACTURING CHEMISTS
MADISON, WISCONSIN 53704

3 DIRECTIONS FOR USE

1. Scrape and prewash all utensils and glassware.
2. Wash in a solution containing 1 ounce GEN-CLEAN to 2 gallons of water.
3. Rinse in clear water.
4. Sanitize in a solution of 1/2 ounce SANITERGENT MARK VII per gallon of water (100 PPM). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on rack or drainboard to air dry.

NOTE: A clean potable water rinse following sanitization is not permitted under Section H 96.16 (2) (c) of the Wisconsin Administrative Code.

THREE TANK SYSTEM

TANK I-Fill tank 2/3 full of water (3-4 gallons) at room temperature. Add 2 ounces GEN-CLEAN. Use brush if mugs are heavily soiled.

TANK II-Fill tank 2/3 full of clear water (3-4 gallons) at room temperature. Add 1 ounce SANA-CLEAN and immerse mugs several times.

TANK III-Fill tank 2/3 full of water (3-4 gallons) and add 1/2 ounce of SANITERGENT MARK VII to a gallon of water (100 PPM). Immerse the mugs several times to insure 2 minute exposure.

Consult local authorities regarding the recommendation of the sanitizing solution.

DILUTION TABLE - EXPOSURE 2 MINUTES
1/2 ounce to gallon of water -- 100 PPM*
1 ounce to gallon of water -- 200 PPM*

*PPM--Parts Per Million Available Chlorine

9 LBS. NET WT.