

MILKHOUSE BRAND

FIRST AID

If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.


STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350° — 475°F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

NET WEIGHT 10 POUNDS

**DO NOT REUSE CONTAINER
DESTROY WHEN EMPTY**

EPA Reg. #3640-61
EPA Est: 3640-WI-1



ACTIVE INGREDIENTS:

Sodium dichloro-s-triazinetrione . . . 3.20%
(provides 1.98% available chlorine)
Sodium Metasilicate (anhydrous) . . . 20.00%

Total 23.20%

INERT INGREDIENTS 76.80%

100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

See left panel for First Aid and Additional Precautions.

DIRECTIONS

Pipeline Milkers, Milking Machines & Pipelines

1. Immediately after milking, flush entire system with warm water 110° F until the water runs clear.
2. Sanitize, circulate a concentration of **SANITERGENT MARK X** at the rate of 1 ounce per gallon of water (100 ppm) at 160° F for 20-30 minutes opening and draining all valves at this time. Hand brush all parts not coming in contact with the solution.
3. Twice each week circulate a solution of **STONESOLV** to remove milkstone and cut down the possibilities of a high bacteria count in milkstone formation. Follow directions for use on **STONESOLV** label.
4. Rinse with warm water at 110° F until the water runs out clear.
5. Before reuse, sanitize with a solution of **STERAMINE MARK I**. Follow directions for use on **STERAMINE I** label. Rinse with potable water prior to reuse.

All treated equipment or food contact surfaces must be rinsed with potable water prior to reuse.

NON-FOAMING



Stearns Chemical Corporation

MANUFACTURING CHEMISTS
MADISON, WISCONSIN