

3.20%

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Pipeline Milkers, Milking Machines and Pipelines

- Immediately after milking, flush entire system with warm water (110°F) until the water runs clear.
 Remove all gross food particles and soil by a pre-flush, or prescrape and when necessary, pre-soak treatment.
- Sanitize, circulate a concentration of SANITERGENT MARK X at the rate of 1 ounce per gallon of water (100 PPM) at 160° F. for 20–30 minutes opening and draining all valves at this time. Hand brush all parts not coming in contact with the solution.
- 3. Twice each week circulate a solution of STEROSOL MILKSTONE REMOVER to remove milkstone and cut down the possibilities of a high bacteria count in milkstone formation. Follow directions for use on STEROSOL MILKSTONE REMOVER label.
- 4. Rins'e with warm water at 110° F. until the water runs out clear.
- Before reuse, sanitize with a solution of STERAZONE UDDER WASH and SANITIZER. Follow directions for use on the label of STERAZONE UDDER WASH and SANITIZER. Do not rinse.
- Do not reuse sanitizing solutions for sanitizing mechanical operations. Prepare fresh sanitizing solution at least daily or more often if the solution becomes diluted or soiled.

NON-FOAMING

ST-18





SANITERGENT MARK X

PIPELINE CLEANER

ACTIVE INGREDIENTS:

Sodium dichloro-s-triazinetrione (provides 1.98% available chlorine)

INERT INGREDIENTS 96.80%
Total 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.



STEARNS PACKAGING CORPORATION
4208 SYCAMORE AVENUE MADISON WISCONSIN 53784

Not Reviewed. Registrant claims to be in accordance with freregistration of Pesticide Product Guidance for Phase 2 Response, Page 2 12, Active to Inert Change in Status.

PRACTICAL TREATMENT: If swallowed, drink large quantities of water. Do not induce vorniting. Avoid alcohol. In case of contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get immediate medical attention. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS: STRONG UXIDIZING AGENT. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame.

IN CASE OF FIRE: if possible, isolate container in open air or well ventilated area. Flood with large volume of water.

Decomposes at 350%-475%F with liberation of harmful gases.

IN CASE OF DECOMPOSITION: if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use.

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of hazardous gases, and possible generation of fire and explosion.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into takes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

STORAGE AND DISPOSAL: Plastic containers — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning, if burned, stay out of smoke. Plastic bags — Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 3640-61 EPA Est. No. 3640-WI-1

NET WEIGHT: 22 POUNDS (9.98 Kg)