

USE DIRECTIONS

FOR CLEANING

Lightly soiled areas—surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of MARK 12 per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas—mop or brush soiled surface with a solution containing 2-3 ounces of MARK 12 per gallon of water. Rinse cleaned surface with fresh water.

All treated food contact surfaces must be rinsed with potable water prior to re-use.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 1 ounce of MARK 12 per gallon of water.

Surfaces that are heavily soiled should be cleaned with 1-2 ounces of MARK 12 per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with potable water prior to re-use.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungicidal action is required, mop area with a solution containing 3/4 ounce in 1 gallon of water. This solution will destroy *Trichophyton interdigitale*, a causative agent of athlete's foot.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 2 ounces of MARK 12 per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

SANITIZATION

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 3/4 ounce of MARK 12 per gallon water. If

MILKHOUSE BRAND



MARK 12

DISINFECTANT - CLEANER - SANITIZER

FUNGICIDE - DEODORANT

Active Ingredients:

- n-Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆)
- dimethyl benzyl ammonium chloride 5.0%
- Sodium metasilicate 3.0%
- Tetrasodium salt of ethylene diamine
- tetraacetic acid 1.8%

Inert Ingredients: 90.2%

EPA Reg. No. 3640-69

EPA Est. 3640-WI-1

DANGER

KEEP OUT OF THE REACH OF CHILDREN

See side panel for first aid and additional precautions.
Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

Net Contents: 1 gallon

STEARNS

STEARNS CHEMICAL CORP.

4200 SYCAMORE AVENUE

MADISON

REGISTERED
MAY 29, 1974
3640-69

Paul E. Becker
Paul E. Becker

surface is
thorough
ounce of M
that treat
re-use.

DEODORANT

To de
containing
MARK
industrial
disinfect
relied up
kennel ar
may be t
restaurant
in other p
left panel

DANGER

KEEP
skin irrita
when han

FIRST AID

In cas
least 15 m
clothing l
If swa
solution o
physician

NOTE TO USER

Probab
ures agai
needed.