PM 31 3640-79

1-22.90

USE DIRECTIONS

MARK 11 is a cleaner, disinfectant, and sanitizer, designed for institutional use such as Hospitals, Nursing Homes and Institutions where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. MARK 11 can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus. Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, thchophyton interdigitale.

When used for sanitization of previously cleaned non-food processing equipment and non-food contact items, limit active quaternaries to 200 ppm (2.8 ounces per 5 gailons of water). A minimum of one (1) minute contact time is required. Drain the use solution from the surface and air dry. NO RINSE REQUIRED. For mechanical operations, the prepared use solution may not be reused for sanitizing but may be used for other purposes such as cleaning. For manual operations, the fresh sanitizing solution must be prepared at least daily or more often if the solution becomes diluted or solied

WARNING **KEEP OUT OF REACH OF CHILDREN**

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swalkowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician



ACTIVE INGREDIENTS:

| n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides | . 2.25% |
|--|---------|
| n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides | 2.25% |
| INERT INGREDIENTS: | 95.50% |
| WARNING | 100.00% |

KEEP OUT OF REACH OF CHILDREN

See right side panel for additional precautionary and first aid statements.

....

INSTRUCTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTATION

Use at 2 ounces per gallon, MARK 11 will be effective against Pseudomas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC. Use Dilution Confirmation Test. At this level, the product is fundicidal adainst pathogenic fungi.

For best results, use MARK 11 with a cloth or mop and apply to walls, floors and other hard surfaces.

For heavy soil or organic matter, a pre-cleaning step is recommended.

SANITIZATION

If used for sanitization of previously cleaned non-food equipment or nonfood contact items, limit the level of active guaternaries to 200 ppm (2.8) ounces per 5 gallons of water). A minimum of one (1) minute contact time is required. Drain the use solution from the surface and air cirv. NO RINSE REQUIRED. For mechanical operations, the prepared use solution may not be reused for sanitizing but may be used for other purposes such as cleaning. For manual operations, the fresh sanitizing solution must be prepared at least daily or more often if the solution becomes driuted or solled

This product, when used on environmental, manimate, hard surfaces at 2 ounces per gallon of water, is effective against influenza Ap. Herpes Simplex, Adenovirus type 2, and Vaccinia Viruses.

PHENOL COEFFICIENTS:

| Guaranteed | Minimum |
|------------|---------|
| S. aureus | 44 |
| S. typhosa | 28 |


DISPOSAL:

Rinse empty container thoroughly with water and discard EPA Reg. No. 3640-79 EPA Est. No. 3640-WI-1

NET CONTENTS: 1 U.S. GALLON (3.78 liters)

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pestivide Local Conductor Phase 2 Response, Page 2.12, Active to Inert Change in Status.

STEARNS



| | | • | | ٠ | • |
|----|---|---|---|-------|---------|
| | | | | | |
| | • | • | • | | |
| • | | | ٠ | | |
| ÷. | | • | • | i i i | - ÷ - ÷ |
| | | | | | • |



903 FOR HOSPITAL AND INSTITUTIONAL USE



FOR HOSPITAL& INSTITUTIONAL USE

CLEANER-DISINFECTANT DEODORIZER - FUNGICIDE

CAUTION: READ LABEL CAREFULLY BEFORE USING. KEEP OUT OF THE REACH OF CHILDREN

Net Contents:

AAOC Phenol Coefficients Staph. aureus (ATCC No. 6538) 50.0 Salmonella typhosa (ATCC No. 6539) 20.0 ACTIVE INGREDIENTS Didecyl dimethyl ammonium chloride 2.125% INERT INGREDIENTS <u>97.875%</u> 100.000% E.P.A. Reg. No.: 10292-16

E.P.A. Est. No.; 10292-IL-01

WARNING

KEEP OUT OF THE REACH OF CHILDREN Causes skin irritation. May cause eye damage. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

VENUS LABORATORIES, Inc. 855 Lively Blvd. Wood Dale, IL 60191

DIRECTIONS

Add 4 ozs. per gallon of water.

Apply Mint Disinfectant Cleaner to walls, floors, and furniture with a cloth or mop. For heavily solled areas, a preliminary cleaning may be required. At 4 ounces per gallon use-level, Mint Disinfectant Cleaner is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton interdigitale. Germicidal performance against the first three organisms has been confirmed by the AOAC Use Dilution Test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal Test. CONTAINER DISPOSAL DIRECTIONS Triple rinse, (or equivalent), and offer for recycling or reconditioning, or, puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FIRST AID

In case of contact, flush skin or eyes with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluids, and call a physician immediately.