STEARNS

MARK T

DISINFECTANT TOILET BOWL CLEANER
WITH ORGANIC SOIL REMOVER

DESIGNED FOR HOSPITAL USE

Based on Twin Chain Quaternary Ammonium Chloride
and Acid Compatible Detergent Systems

for Hospitals – Industry

Disinfects – Cleans – Deodorizes – Removes Stains

Kills Germs in Toilet Bowls including many found in
hospitals (eg. Pseudomonas aeruginosa & Staphylococcus
aureus)

Active Ingredients:
Octyl decyl dimethyl ammonium chloride.....
Dioctyl dimethyl ammonium chloride.....
Didecyl dimethyl ammonium chloride.....
Hydrogen chloride.....
Inert Ingredients.....
Contains no phosphate compounds.....

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

If swallowed, call a physician immediately. Drink a
glass of water or drink of milk or Magnesia or a cup of
water followed with milk or raw egg whites.
Eye contact: Wash with water for 15 minutes. Call
medical attention.
Skin contact: Wipe off the acid gently, immediately
flood the surface with water, using soap freely.
Cover with milk of Magnesia or baking soda.
Call Poison Control Center or a physician.
EPA Reg. No. 10370-[illegible]-1
EPA Est. No. [illegible]
Net contents [illegible]

STEARNS
MANITOWOC, WISCONSIN 54220

MARK T is a disinfectant bathroom bowl cleaner designed for hospital use. This disinfectant toilet bowl cleaner is especially formulated to kill many germs commonly found in hospitals and industrial environments. MARK T is designed for use in toilet bowls and urinals.

MARK T contains an acid compatible detergent system that removes resistant stains and increases its disinfectant action.

When used as directed, MARK T cleans, disinfects, and deodorizes in one easy step.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION—Corrosive. Keep out of reach of children. May be fatal or harmful if swallowed. Do not breathe vapor or fumes. Produces chemical burns. Do not get in eyes, on skin or on clothing.

STORAGE AND DISPOSAL—Do Not Contaminate Water, Food, or Feed by Storage or Disposal. Open Dumping is prohibited. Do Not Reuse Empty Container. Rinse empty container thoroughly with water and detergent and discard in regular trash collection.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Flush Toilet: Add 1½ oz. (3 tablespoons) directly to water in toilet bowl (½ gallons). Brush to cover all bowl surfaces including under the rim. Flush toilet.

For heavily soiled areas, a preliminary cleaning may be required.

For badly stained bowls, repeat above treatment using 2 to 4 oz. of MARK T.

For use in urinals, add 1½ oz. (3 tablespoons) to ½ gallon of water. Apply by brush to all urinal surfaces. Flush.

For disinfection, treated surface must remain wet for at least 10 minutes.

The efficacy of MARK T (in toilet bowls and urinals) has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Germicidal test:

Pseudomonas aeruginosa (staphylococcus aureus)
Salmonella choleraesuis

The cationic detergent system of MARK T inhibits the acid corrosion of metal parts found around toilet bowls and urinals.

SEP 16 '82

STEARNS MARK I

DISINFECTANT TOILET BOWL CLEANER
WITH ORGANIC SOIL TOLERANCE
DESIGNED FOR HOSPITAL USE

Laden in Twin Chain Quaternary Ammonium Compounds
and Acid Compatible Detergent Systems
for Hospitals - Industry

Disinfecte - Clean - Deodorize - Remove Stains

Toilet bowls in Toilet Bowls including many found in hospitals (MRSA) Staphylococcus aureus a Staphylococcus aureus:

Active Ingredients:	
Alkyl dimethyl benzyl ammonium chloride	1.250%
Alkyl (40% C14, 50% C12, 10% C16) dimethyl benzyl ammonium chloride	0.625%
Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride	0.625%
Tetrasodium EDTA	0.500%
Inert Ingredients	98.500%
	100.000%

Contains no phosphate compounds.

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

If swallowed, call a physician immediately. Drink a tablespoon or more of milk or glass of water.

Avoid contact with skin or eyes. Do not breathe vapor or mist. Wash contact area with water for 15 minutes.

Dry contact area with milk or raw egg mixture.

Drink copious amounts of milk or water for 15 minutes. Do not induce vomiting.

Flush the surface with water using high pressure if safe to do so. Avoid mixing with acids, ammonia or bleach.

See Data Panel for additional Precautionary Statements.

EPA Reg. No. 1040-XI-1 EPA Est. No. 1040-XI-1

Net Contents: 16 oz.

STEARNS
STEARNS CHEMICAL CORPORATION
2200 STEARNS AVENUE
MADISON, WISCONSIN 53704

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Flush toilet to wet bowl. Apply 1 oz. (2 Tbsp.) of product to bowl surface. Brush to cover all areas. Let stand 10 min. Flush toilet.

For Heavily Soiled Toilets: Apply product as above. Let stand for 30 min. Brush to remove stains. Flush toilet.

For Heavily Stained Toilets: Apply product as above. Let stand for 4 to 6 hrs. Brush to remove stains. Flush toilet.

NOTE: If product is used in a urinal, it should be flushed down the drain. Do not let stand in urinal.

Equipment: Toilet brush, rubber gloves, safety goggles.

The efficacy of this product against the following organisms has been established:

Staphylococcus aureus (MRSA)
Pseudomonas aeruginosa
Salmonella choleraesuis
Escherichia coli
Klebsiella pneumoniae
Enterobacter aerogenes

The product also has activity against Gram Positive and Gram Negative bacteria.

3640-27

SEP 16 '92