PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

GER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Cause sevel amage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross fifth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous memoranes.

NET CONTENTS: 1 GALLON

EPA Registration No. 3640-93 EPA Est. No. 3640-WI-1 **DILUTION TABLE**

200 PPM 1 ounce to each 1.7 gallons water

100 PPM 1 ounce to each 3.4 gallons water



LIQUID CHLORINATING **COMPOUND 5.50**

Deodorant for Dairy Plants - Farms

SODIUM HYPOCHLORITE SOLUTION ACTIVE INGREDIENTS: SODIUM HYPOCHLORITE 5.5% INERT INGREDIENTS: WATER

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. DO NOT give vinegar or other acids. DO NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

Only for sale to, use, and storage by service persons.

DIRECTIONS FOR USE

1

.... GENERAL CLASSIFICATION

- It is a wolation of federal Law to use this product in a manner inconsistant with its labeling.**
- "DAIRY"PLANTS FARMS DEODORIZING 1. Scrape and prewash utensils and glasses whenever
- possible.
- 2. Wash, D a solution of SULK TANK, CLEANER. Refer to SULK TANK-CLEANER label directions foreuse. 3. Binse ib clear water. 4. Sanitize in a solution of nounce ElQUID-ONLOBINATING COMPOUND 5.50 to 3.4 gallons of water (100 PPM). Immerse all utensils for at least two minutes or for
- contact time specified by governing sanitary code. 5. Place sanutized utensils on a rack or drainboard to air dry.

NOTE: A clean potable water rinse following sanitization is not permitted under Section H96.16 (2)(c)2 of the Wisconsin Administrative Code.

This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

