

Quality Since 1885

**DIRECTIONS FOR USE**


**GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


**DOLCHEM 3435TX FUNGICIDAL BEDDING COMPOUND** is formulated to prevent dry rot and decay caused by moisture and fungi growth in wood. It is used for bedding in keels, transoms, moldings, shaftlog, and deck hardware. It is usually applied with a putty knife or spatula directly to the crevice or joint in sufficient amounts to completely fill all voids. May be used on wood, fiberglass, or metal wherever two pieces are fitted together and a waterproof seal is desired. Paint may be applied after the compound forms a skin. **DOLCHEM 3435TX** is normally used without thinning. If thinning is necessary, use a small amount of mineral spirits.

**STORAGE AND DISPOSAL**

Close container after each use. Do not reuse empty container. Wrap container and put in trash collection.



EPA Est. No. 3658-0H-1  
**THE DOLPHIN  
PAINT & CHEMICAL COMPANY  
TOLEDO, OHIO 43603**



ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

MAY 3 1983

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

3658-27

KEEP OUT

See side panel

**3435TX  
Fungicidal  
Bedding Compound**

(MIL-S-19653A Type 1) EPA Reg. No. 3658-27


**64 FL. OZ. (1 GAL) 3.785 L**

ce 1885

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

MAY 3 1983

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
3658-27



KEEP OUT OF THE REACH OF CHILDREN  
WARNING

See side panels for additional precautionary statements.

**FOR USE**  
**DESCRIPTION**  
Federal law to use  
or inconsistent with

**FUNGICIDAL BED-**  
formulated to pre-  
caused by moisture  
ood. It is used for  
ansoms, moldings,  
dware. It is usually  
e or spatula direct-  
point in sufficient  
fill all voids. May  
erglass, or metal  
are fitted together  
desired. Paint may  
compound forms a  
IX is normally used  
inning is necessary.  
mineral spirits

**DISPOSAL**  
each use. Do not  
r. Wrap container  
tion

# 3435TX Fungicidal Bedding Compound

EPA Reg. No. 3658-27

<b>Active Ingredients:</b>	6.18%
Pentachlorophenol	5.53%
Other Chlorophenols	0.65%
<b>Inert Ingredients:</b>	93.82%
Magnesium Silicates	45.19%
Resin, Fish & Soya Oils	
Petroleum Plasticizers	36.78%
Aromatic Thinner	1.81%
Petroleum Thinner	10.04%
	100.00%

64 FL. OZ. (1 GAL) 3.785 LITERS

1658 OH 1

PHIN  
AL COMPANY  
HO 43603

Quality Since 1885

**PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND  
DOMESTIC ANIMALS**

**WARNING**

May be fatal if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

**STATEMENT OF PRACTICAL  
TREATMENT**

If swallowed, call a physician, or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If on skin, immediately wash with soap and water. If in eyes, flush with water for 15 minutes and get medical attention. Use with adequate ventilation.

**ENVIRONMENTAL HAZARDS**

This Pesticide is Toxic to Wildlife. Do not apply directly to water.

**PHYSICAL AND  
CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

EPA Est. No. 4658-011

**THE DOLPHIN  
PAINT & CHEMICAL COMPANY  
TOLEDO, OHIO 43603**



**KEEP OUT OF THE REACH OF CHILDREN  
WARNING**

See side panels for additional precautionary statements.

**3435TX  
Fungicidal  
Bedding Compound**

(MIL S 19653A Type D) EPA Reg. No. 4658-27

<b>Active Ingredients:</b>	6.18%
Pentachlorophenol	5.54%
Other Chlorophenols	0.65%
<b>Inert Ingredients:</b>	93.82%
Magnesium Silicates	45.19%
Resin, Fish & Soya Oils	
Petroleum Plasticizers	36.78%
Aromatic Thinner	1.81%
Petroleum Thinner	10.04%
	100.00%

**64 FL. OZ. (1 GAL.) 3.785 LITERS**

301 95263  
12 1

Page 3

101, 111 Street, Cleveland, Ohio  
101, 111 Street  
101, 111 Street, Cleveland, Ohio  
101, 111 Street, Cleveland, Ohio

Attention: Mr. W. Smith III


Gentlemen:

Subject: 101, 111 Street, Cleveland, Ohio  
101, 111 Street, Cleveland, Ohio  
101, 111 Street, Cleveland, Ohio

The following information is being furnished in connection with a distribution  
under the Federal Insecticide, Fungicide, and Plant Growth Regulator Act, as amended, if  
acceptable. A large copy is being furnished for your records.

At the last meeting of the Board, under "General Classification" under  
the direction of the Board.

The registration number of the product is 101, 111 Street, Cleveland, Ohio  
101, 111 Street, Cleveland, Ohio. It is the intent of the Board  
to list this product under the Act. It is the intent of the Board  
to list this product under the Act.

Very truly yours,  
  
  
Director, Office of Pesticide Registration  
U.S. Environmental Protection Agency  
Washington, D.C. 20460

101, 111 Street

101, 111 Street, Cleveland, Ohio 44115

SYMBOL	NAME	DATE	INITIALS	REMARKS	DATE	INITIALS	REMARKS	DATE	INITIALS	REMARKS

**GRANOL<sup>R</sup> FLOWABLE**

**Insecticide Fungicide Seed Treatment**

A dual purpose, ready-to-use, liquid formulation for control of smuts, seed decay and seedling blight and for temporary protection of seeds and seedlings against wireworms.

For on-the-farm treatment of seeds.

**WHEAT-OATS-BARLEY-RYE**

APPROVED  
with CORN  
by EPA L. 8203-26

ACTIVE INGREDIENTS	%
Maneb (manganese ethylenebisdithiocarbamate)	21.0
Lindane (gamma isomer of benzene hexachloride)	10.5
INERT INGREDIENTS	<u>68.5</u>
TOTAL	100.0

MAR 25 1983

Under the  
Fungicide  
as amended  
registered

8203-26

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

See side panel for additional precautionary information.

EPA Est 8203-CN-1

EPA Reg No 8203-26

GRANOL is a registered trade mark of Chipman Inc., Canada

NET CONTENT: 5 gallons

