

Ems
ALGAECIDE 316

ACTIVE INGREDIENTS:
Sodium Pentachlorophenate 3.4%
Sodium Salts of other
Chlorophenols .6%
INERT INGREDIENTS: 96.0%
(Sodium chlorophenates, .375 lbs./gal.)

ACCEPTED

10/29/75

3682-19

CAUTION: KEEP OUT OF REACH OF CHILDREN.
Harmful if swallowed. Causes skin or eye irritation. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not reuse container. Destroy when empty.

FIRST AID:

EXTERNAL: Wash with rubbing alcohol and follow with soap and water.
INTERNAL: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Give milk or white of eggs beaten with water. Have patient lie down and keep warm. CALL A PHYSICIAN

DOSAGE: For the control for bacterial, algal and fungal slime in industrial recirculating water cooling towers. INITIAL DOSAGE: When system is noticeably fouled, apply 1 to 2 gallons of Ems Algaecide 316 per 1000 gallons water in system. Apply at a point in system where product will be uniformly mixed. Repeat until control is achieved. SUBSEQUENT DOSAGE: When microbial control is evident, add 1/2 to 1 gallon of Ems Algaecide 316 to every 1000 gallons of water in system every 7 days or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

EPA Registration No. 3682-19
EPA Est. No. 3682-CA-1

E. W. SMITH CHEMICAL CO.
15020 EAST PROCTOR AVENUE-EDgewood 9-5105
INDUSTRIAL, CALIFORNIA, U.S.A. 91736

NET WT. _____