**DOSAGE:** For control of bacterial and fingal slime, and algae in industrial recirculating water cooling towers, CC control of air-conditioning or refriger- /// ation cooling towers, use 1 lb. per 1000 gallons of water in the system initially, to the sump of the cooling the FEDERAL INSECTION tower. Repeat until microbial control UNGICIDE AND RODENTICIDE ACT is apparent. Thereafter, add ½ lb. peted UNDER NO 1000 gallons of water periodically as needed to maintain microbial control.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, or ponds.

Do not reuse empty drums. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.



erial ·m lust-CCE: EU 11/2 8 1411/2 wers obial iger-per item ling R THE FEDERAL INSECTICI: TROJUNGICIDE AND HODENTICIDE AC" FOR ECONOMIC POISON RECISION DEED UNDER NO y as trol. ALGAECIDE 319 vildt be into E.W. SMITH CHEMICAL CO.

n to perin a

15020 EAST PROCTOR AVENUE-EDgewood 3-5205 INDUSTRY, CALIFORNIA, U.S.A. 91746

NET CONTENTS\_\_\_\_\_

| ACTIVE INGREDIENTS:                 | 20.0%  |
|-------------------------------------|--------|
| Copper Sulfate Pentahydrate         |        |
| (copper expressed as metallic       | 5.09%) |
| Sodium Pentachlerophenate           | 7.5%   |
| Sodium Salts of other chlorophenols | 1.3%   |
| INERT INGREDIENTS                   | 71.2%  |

WARNING: Keep out of reach of children. Harmful if swallowed or absorbed through the skin. Do not breath dust or spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Causes skin irritation.

EXTERNAL: wash with rubbing alcohol and follow with soap and water.

INTERNAL: Give a tablespoonful of salt in a glass of warm water and repeat until vomit is clear. Give milk or white of eggs beaten with water. Have patient lie down and keep warm CALL A PHYSICIAN.

EPA Registration No. 3682-29