

3682-36

FOR: Bakeries, Food Plants, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals and Food Handling Plants.

ACTIVE INGREDIENTS:

*(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate .....	0.100%	w/w
Related compounds .....	0.014%	
Aromatic petroleum hydrocarbons .....	0.132%	
Petroleum distillate .....	99.750%	

INERT INGREDIENTS: .....	0.004%
	100.000%

\* Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans. +U.S. Patent No. 3,465,007

DIRECTIONS FOR USE

FOR FLIES, MOSQUITOES, AND GNATS: Close doors and windows. Spray freely toward ceiling in all directions until room is filled with mist, then leave room. Keep doors closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.



# QUEL INSECT SPRAY

(NON-EMULSIFIABLE)

## E. W. SMITH CHEMICAL CO.

15020 EAST PROCTOR AVENUE—EDGEMOND 3-5205  
INDUSTRY, CALIFORNIA, U.S.A. 91746

NET CONTENTS .....

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Cover or remove fishbowls. Do not store near heat or open flame.

Avoid contamination of feed and food stuffs. Use as a space spray in food processing plants only when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

E.P.A. Reg. No. 3682-36