

NACLP WOOLF 4/11/70



# BLEACH

*Disinfectant-Stain Remover-Deodorizer*

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
See Back Panel for Additional Cautions

ACTIVE INGREDIENTS: SODIUM HYPOCHLORITE .525% BY WEIGHT  
INERT INGREDIENTS 94.75% BY WEIGHT



NET 32 FL. OZ. (1 QUART)

**TEXIZE BLEACH WHITENS, REMOVES STAINS AND ONLY BODY DIRT. ALSO EXCELLENT FOR BLEACHING PERMANENT PRESS FABRICS.**

Use Texize Bleach with your soap or laundry detergent if your washer has an automatic bleach dispenser, follow washer directions. If not:

Dilute Bleach in separate water and pour into the machine after laundry is agitating and thoroughly wet.

Top-Loading Automatics	-----	1 cup per load
Wringer Type Washers	-----	1 cup per load
Front Loading Automatics	-----	1/2 cup per load

Use 1 tablespoon of Bleach per gallon of water and add to wash after soap or detergent and water have been thoroughly mixed with laundry.

To deodorize and kill most germs that survive normal wash water temperatures:

1. Flush out soiled diapers.
2. Use 1 tablespoon of Bleach per gallon water in diaper pail for odor-reducing pre-soak.
3. Wash, using Bleach as in regular laundry.

(grass, tobacco, fruit, coffee, tea, vegetable): Mix 1/4 cup of Bleach in 1 quart of cold water. Soak 10 to 15 minutes—rinse thoroughly. Repeat if necessary. Rinse well.

U.S.D.A. REG. NO. 3696-2



tablespoons of Bleach to 1 quart of warm water. Wash item thoroughly, follow with Bleach solution, wet or immerse for 5 minutes, rinse well. Use on sinks, bath tubs, woodwork, dish cloths, drainboards, enamelware, tile, windows, linoleum, sickroom supplies, garbage cans, refrigerators, ranges, and bathrooms—let dry before use. Do not use on silverware, aluminum, steel or chipped enamel.

To remove odors, use a few drops of Bleach. To remove stains pour 1/2 cup of Bleach into bowl—wash inside surfaces—let stand 1 hour (Do not use toilet bowl cleaners with Bleach. See caution statement.)

For new water in swimming pools use 1 cup bleach per 1500 gallons water to establish 0.6 to 1.0 ppm available chlorine residual, as determined by a chlorine test kit. Dilute 10 fold and scatter over surface of pool or feed through pool chlorinator. Replenish daily, or as needed, using 1/2 cup bleach per 1500 gallons to maintain 0.6 to 1.0 ppm available chlorine as determined by a suitable chlorine test kit. In **WARNING POOLS** use 2 tablespoons per 100 gallons water. Mix thoroughly before wading. Replenish daily.

Clean surface thoroughly. To prepare a disinfecting solution of 200 parts per million available chlorine, add 2 tablespoons Texize Bleach to 2 gallons of water. Recommended by U. S. Public Health Service for disinfecting previously cleaned food handling equipment and utensils in restaurants, soda fountains, dairies, etc. A concentration of 600 ppm (6 tablespoons per 2 gallons of water) is recommended for floors, walls, and counters in these areas.

To reduce possible bacterial contamination, add 10 drops of Bleach to each gallon water, let stand 5 minutes. For **DRINKING WATER** for pets, poultry and livestock, use 2 tablespoons of bleach to each 5 gallons of water. Mix well and let stand for 5 minutes.



P-339-570

2-2-71  
3696-2