

Net Wt. 14 ozs.

FOLLOW DIRECTIONS and CAUTIONS CAREFULLY

DIRECTIONS

Use a pressure sprayer. Mix contents with water at the rate of 6 level tablespoons per gallon. Spray thoroughly, covering both sides of leaves and fruit. For best results, spray at intervals of 7 to 10 days. For preventive use, make first application just before bloom and repeat after bloom, and repeat at 7 to 10 day intervals. Do not spray any fruit within 7 days of harvest. Do not spray on wet fruit.

CAUTION

Avoid breathing spray mist. Avoid contact with eyes. Avoid breathing. May irritate eyes, nose, throat and skin. Do not use in enclosed spaces. Do not use in areas where food is prepared. Wash hands thoroughly with soap and water after use. Do not use on plants to which you are allergic.

Active ingredients	1,4-dichlorobenzene 2,4-dichlorophenoxyacetic acid 2,4,5-trichlorophenoxyacetic acid 2,4,6-trichlorophenoxyacetic acid 2,4,7-trichlorophenoxyacetic acid 2,4,8-trichlorophenoxyacetic acid
Inert ingredients	Water Sodium hydroxide Sulfuric acid Hydrochloric acid Phosphoric acid Nitric acid Acetic acid Formic acid Lactic acid Citric acid Malic acid Tartaric acid Succinic acid Fumaric acid Maleic acid Itaconic acid Glucuronic acid Galacturonic acid Mannuronic acid Glucuronic acid Galacturonic acid Mannuronic acid

PARTIAL LIST OF PESTS CONTROLLED

DISEASES

- APPLE** - Late blight apple, Red blotch, Fruit rot, Leaf spot, Fire blight, Pear scab, Pear rust, Pear scab, Pear rust, Pear scab, Pear rust.
- CHERRY, PLUM, PEACH** - Leaf spot, Fire blight, Pear scab, Pear rust, Pear scab, Pear rust.
- PEAR** - Pear scab, Pear rust, Pear scab, Pear rust.
- QUINCE** - Pear scab, Pear rust.
- STRAWBERRY** - Leaf spot, Fire blight.
- CURRENT, GOOSEBERRY** - Pear scab, Pear rust.

INSECTS

- Apple Maggot, Pear Maggot, Pear Sawfly, Pear Weevil, Pear Borer, Pear Moth, Pear Flea, Pear Aphid, Pear Scale, Pear Mite, Pear Spider, Pear Tick, Pear Flea, Pear Aphid, Pear Scale, Pear Mite, Pear Spider, Pear Tick.

NOTE: To be effective, make two or three applications of any kind, spaced or applied according to the handling storage or use of the product, which is used in a mixture with fruit.

FRUIT SPRAY SCHEDULE

TIME TO SPRAY	APPLE	CHERRY	PLUM	PEAR	QUINCE	STRAWBERRY	CURRENT	GOOSEBERRY
DORMANT (For peach leaf curl)								
DELAYED DORMANT	•	•	•	•	•			
PRE BLOOM	•	•	•	•	•			
FETAL FALL	•	•	•	•	•			
COVER SPRAYS	•	•	•	•	•			
POST HARVEST (To prevent damage from leaf spot)								
STRAWBERRY, CURRENT, GOOSEBERRY								



FRUIT TREE SPRAY
WETTABLE POWDER

ACCEPTED
2-23-67
NO. R
REG. NO. 3735-19



CONTENTS MAKE 11 GALS. SPRAY MIXTURE

Mfd. by ARLENGE LABORATORIES New York 13, N. Y. Made in U.S.A.

CAUTION: Keep away from children.

See back panel for other cautions. USDA Reg. No. 3735-19