


CRUSADER

CREOSOTE

REFINED



CAUTION

Keep out of reach of children
See back panel for additional cautions

U. S. MEASURE

FIVE GALLON

M6 - 18 FG

Packed For

BELKNAP

LOUISVILLE, KY.

ESTABLISHED 1840

U.S.D.A. Reg. No. 2742-1

ACCE

UNDER THE FE
FUNGICIDE A
FOR E... N...
ED UNDER NO.



CAUTION—Keep Out Of Reach Of Children

See Back Panel For Additional Cautions

USDA Reg. No. 3742-1

CREOSOTE REFINED

U. S. MEASURE

FIVE GALLONS

ACTIVE INGREDIENTS — Creosote Oil, not less than 97%

INERT INGREDIENTS — Water, not over 3%

Packed for
STRATTON & TERSTEGGE
LOUISVILLE, KY.

ESTABLISHED 1862

ACCEPTED

CO. 1-16-69

3742-1

UNDER THE FEDERAL INSECT
FUNGICIDE AND RODENTICIDE
ACT OF 1947

FARM & HOME CREOSOTE

DIRECTIONS

For best results follow these directions: Stir thoroughly before using. Never dilute. In cool or cold weather heat Creosote to above 125 F. DO NOT BOIL. In hot weather Creosote can be used just as it is. Wood must be dry, well seasoned and free from bark.

HOW TO USE AS A WOOD PRESERVATIVE

BRUSHING: Apply liberally, with brush or mop. Hot Creosote flooding surface so as to fill completely all cross cuts, mortises, tenons, checks and other defects. After an interval of 24 hours, or after first application has soaked in, apply a second coat in the same manner, to achieve the best result. This is absolutely essential for all wood to be used under or lying on the ground.

SPRAYING: Spray Creosote hot, with a spray gun or paint machine. Creosote cools quickly when sprayed. Spraying effectively drives Creosote into cracks and crevices, but is not recommended in severely cold weather. After an interval of 24 hours, or after first application has soaked in, apply a second coat in the same manner, to achieve the best result. This is absolutely essential for all material to be used under or lying on the ground.

DIPPING: Immerse that portion of timber to be treated in a bath of hot Creosote for a period of 12 to 18 hours. It is especially necessary that all wood to be treated be completely peeled and well seasoned.

Proper treatment helps to prevent termites, wood peckers, and certain fungus destructive to wood.

~~HOW TO USE AS AN INSECTICIDE~~

POULTRY HOUSES: Creosote will be found indispensable in improving housing conditions for poultry.

First, thoroughly clean poultry house, removing old nesting material and all debris. Then apply a drenching spray or generous brushing of Creosote to every part of the interior. Thereafter the house should be closed for seven hours and then ventilated. Reasonable care should be taken to prevent fowls from touching the freshly treated woodwork. Poultry should be kept out of the coop for 8 to 12 hours.

This treatment kills Poultry Mite, Floor Tick, or "Blue Bug" and aids in controlling Stick-Tight Flea.

One application a year should be sufficient unless reinfestation occurs, being brought in from the outside, in which case repeat the treatment.

CAUTION

MAY CAUSE SKIN IRRITATION. USE ONLY WITH ADEQUATE VENTILATION. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN, OR PROLONGED BREATHING OF VAPOR. PROTECT EYES WITH GOGGLES WHILE USING. ANTIDOTE: Sodium or Magnesium Sulphate, Lime Water, Soap, Milk, or Egg White. AVOID: Oil, Alcohol, or Glycerine.

Packed For
STRATTON & TERSTEGGE CO.
Louisville, Kentucky



FARM & HOME



CAUTION—Keep Out Of Reach Of Children

See Back Panel For Additional Cautions

USDA Reg. No. 3742-1

CREOSOTE REFINED

U. S. MEASURE

FIVE GALLONS

ACTIVE INGREDIENTS — Creosote Oil, not less than 97%

INERT INGREDIENTS — Water, not over 3%

Packed for

STRATTON & TERSTEGGE CO. / -

LOUISVILLE, KY.

ESTABLISHED 1862

FARM & HOME CREOSOTE
DIRECTIONS

HOW TO USE CREOSOTE

PREPARED BY
STRATTON & TERSTEGGE CO.
LOUISVILLE, KY.