

# 5% SEVIN\* DUST

**ACTIVE INGREDIENTS:**

Carbaryl (1-Naphthyl N-Methylcarbamate)

By Wt.

5.00%

**INERT INGREDIENTS:**

95.00%

100.00%

**CAUTION: Keep Out of Reach of Children!**

Trade Marks Reg. U. S. Patent Office

\*Sevin Trade Mark of UCC for 1-Naphthyl N-Methylcarbamate

5% Sevin Dust is an insecticidal dust for use against certain insects attacking beans and potatoes.

**DIRECTIONS**

Use contrary to these directions may cause serious plant, crop or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

**TOBACCO**—For control of Hornworms, Budworms, Flea Beetles, use at rate of 15-20 lbs. per acre. Treat infested fields before largest worms exceed 1½ inches. When treating during harvest make applications immediately after, rather than before priming.

**BEANS**—Against Mexican Bean Beetle, dust thoroughly with 20 lbs. per acre, every 7 to 10 days or as needed, beginning when insects first appear. Against Leafhoppers use 30-40 Lbs. per acre.

**IRISH POTATOES**—Against Colorado Potato Beetle, dust thoroughly using 20 Lbs. per acre. Against Leafhoppers and Flea Beetles use up to 30 Lbs. per acre. Dust when insects appear and repeat every 7 to 10 days or as needed.

For protection of honey bees avoid use, if possible, during periods when honey bees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until 1 week after application.

**NOTICE**

The U. S. Food and Drug Administration has set tolerances for pesticide residues. Crops having residues in excess of their permitted tolerances should not be marketed and to do so may violate State law and will violate Federal law when sold in interstate commerce. Such crops should not be marketed without removal of such excess residues. Residue tests indicate that this dust can be applied at rates directed above to beans and potatoes on the day of harvest without exceeding residue tolerances.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED OR INHALED.** Do not take internally. Avoid breathing dust. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs. Do not feed treated vines to meat or dairy animals.

USDA Reg. 3743-134

2/1  
2

ACCEPTED

NOV 1 1972

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENT CIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. ~~3743-13~~ SUBJECT  
TO ATTACH COMMENTS.