

DIRECTIONS FOR USE

ON CATTLE, HORSES, HOGS: To control Horn Flies, Cattle Lice, Hog Lice, Lone Star Tick, Gulf Coast Tick, Winter Tick and Horned Lizard, mix one qt. of ROYAL BRAND LIVESTOCK SPRAY with 25 gal. of water and stir well to form a creamy emulsion. Spray animals with a strong spray to penetrate to the skin, or dip thoroughly. Approximately two quarts of spray are required for a full grown cow and proportionately less for smaller animals. Be sure not to spray young animals.

For maximum long-lasting protection mix one quart of ROYAL BRAND LIVESTOCK SPRAY with 25 gallons of water as described above. However, for a lower cost spray for temporary control of cattle lice and hornflies, one quart of ROYAL BRAND LIVESTOCK SPRAY may be mixed with 50 gallons of water and applied as above.

FOR CONTROL OF GOAT LICE, SHEEP LICE, KEDS: Use one quart of ROYAL BRAND LIVESTOCK SPRAY with 50 to 100 gallons of water, mix well, and spray or dip animals thoroughly. Be sure to wet animals thoroughly.

MANGE AND SCAB: For control and prevention of Sarcoptic, Psoroptic, and Chorioptic Mange (Scab) on cattle, sheep and hogs, mix one quart of ROYAL BRAND LIVESTOCK SPRAY with 25 gallons of water and dip animals thoroughly. One thorough treatment with non-heated dip is usually sufficient.

FOR USE ON BURLAP, SACK OR CHAIN BACK RUBBERS AS AN AID TO CONTROLLING HORNFLEES AND LICE ON BEEF CATTLE: Dilute one quart of ROYAL BRAND LIVESTOCK SPRAY with 2 to 4 gallons of fuel oil or other suitable carrier and fill insecticide compartment of back rubber device or soak sock of cloth as the occasion requires. Refill or repeat soaking as necessary. Place back rubber device where

ROYAL BRAND



LIVESTOCK SPRAY

Emulsifiable Concentrate

COMBINING MALATHION AND TOXAPHENE

For Quick Kill and Long Residual

One Quart makes up to 50 gallons of spray

See Other Precautions On The Back/Side Panel.

Active Ingredients:

Toxaphene (Technical Chlorinated Camphene containing 67% to 69% Chlorine) 40.0%

Malathion (0, 0-dimethyl dithiophosphate of diethyl mercaptosuccinate) 5.0%

Petroleum Distillate 45.0%

Inert Ingredients 10.0%

WARNING: KEEP OUT OF REACH OF CHILDREN

Manufactured By

Southern Agricultural Chemicals, Inc.
KINGSTREE, SOUTH CAROLINA

DIRECTIONS FOR USE

animals feed, water, travel regularly, or loaf.

AS A PREMISE SPRAY FOR BARNYARD AND BUILDING: To kill fleas, mosquitoes, roaches, stable flies, around barns, banyards and outbuildings—dilute one quart of ROYAL BRAND LIVESTOCK SPRAY with 10 gallons of water. Thoroughly wet all surfaces where insects alight or crawl. For fleas, thoroughly treat places where animals sleep. Repeat applications as necessary for effective season-long control. Do not treat pets or animals with this mixture. Do not use in dwellings. Do not apply in poultry houses.

CAUTION: As a general precaution in spraying animals, avoid treating during cold, stormy weather; avoid treating overheated or sick animals; water animals before dipping to prevent them from drinking the dip. If calves must be treated, spray with a minimum amount of material. Do not make back rubbers accessible to animals under 3 months of age. Animals under three months of age should not be dipped or sprayed. Do not dip or spray dairy goats.

WARNING: May be fatal if swallowed. Do not breathe spray mist. Do not get in eyes, or skin or clothing. Wash thoroughly. Do not apply in dairy barns or to dairy animals. Avoid contamination of feed and food-stuffs. Do not use around poultry, dogs or fish.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Do not use on animals within 30 days of slaughter.

Do not reuse container. Destroy when empty.

Net Contents:

E.P.A.

Reg. No. 3743-141