

POLYRAM BED DUST

USDA
REG. NO. 3743-

NET WEIGHT
50 LBS.

ACTIVE INGREDIENT

A mixture of 5.2 parts by weight (83.9%) of a mixture of
/ethylenebis(dithiocarbamate)zinc with 1 part by weight
(16.1%) ethylenebis /dithiocarbamate acid/ bi-molecular and
tri-molecular cyclic thiohydrosulfides and disulfides ----- 3.5%
INERT INGREDIENTS ----- 96.5%
100.0%

Zinc expressed as metallic-----0.66%

18 pt. type (CAUTION
(KEEP OUT OF REACH OF CHILDREN

12 pt. type (May be harmful if swallowed or inhaled. May
(cause irritation of eyes, nose, throat and
(skin. In case of contact, flush with plenty
(of water; for eyes get medical attention.

DIRECTIONS FOR USE

| CROP | TO CONTROL | REMARKS |
|--------------------|------------|---|
| Tobacco Seeded. | Blue Mold | Use two to four pounds per 100 square yards of plant bed. Make first appli- cation when plants are the size of a dime. Repeat application twice weekly until the plants are |

DISPOSE OF THIS PRODUCT BY MIXING WITH
INERT MATERIAL AND APPLYING TO LAND
OR BY OTHER MEANS.

REGISTERED TRADE NAME
Southern Chemicals Company, Inc.
Planters, S.C.