



*The Sign of Quality*

POST OFFICE DRAWER 527

**Kingstree, S. C. 29556**

**DANGER - POISON - PRECAUTIONS**



**POISONOUS IF SWALLOWED**

Product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if inhaled.

**POISONOUS BY SKIN CONTACT**

Product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep away from any body of water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal wastes.

**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal.

**POISONOUS TO FISH AND WILDLIFE**

Product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep away from any body of water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal wastes.

Persons exposed to direct treatment or residues on crops should obtain from your Cooperative Agricultural Extension Service or Experiment Station appropriate first aid instructions.

**POST TREATED AREA**  
Extension Service or Experiment Station for appropriate first aid instructions.

**CONTAINER DISPOSAL**

Do not reuse container.  
**FOR USE DIRECTIONS**  
See instructions.

**STOP - READ LABEL - BEFORE USING!**

**POISON**

See side panels  
for antidote  
and precautions



**DANGER**

Keep out of reach  
of children

**CAN KILL YOU**

**PARATHION 800**

(Contains 8 lb. Parathion per Gallon)  
**NOT FOR HOME USE**

**ACTIVE INGREDIENTS:**

Parathion (O, O-diethyl O-p-nitrophenyl thiophosphate)

**INERT INGREDIENTS:**

**TOTAL**

78.6%

21.4%

100%

**NET VOLUME**

**GALLON**

**Manufactured By**

**Southern Agricultural Chemicals, Inc.**

**KINGSTREE, S. C.**

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

Wear water proof pants, coat, hat, gloves, boots, and safety goggles. Wear mask or respirator during application. Wear shoes.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

**POISON SIGNS (Symptoms)**

Persons who swallow, inhale or come in contact with all skin exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

**FIRST AID TREATMENT**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious), make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**NOTE TO PHYSICIAN**

Antidote administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.