

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

STOP - READ LABEL BEFORE USING!

POISON

See side panels
for antidote
and precautions

AUG 25 1978

Under the Federal
Fungicide, and Ro
in amended, for the
registered under
EPA Reg. No. 3743-117



DANGER

Keep out of reach
of children

CAN KILL YOU

PARATHION 800

(Contains 8 lb. Parathion per Gallon)
NOT FOR HOME USE

ACTIVE INGREDIENTS:	6
Parathion (O, O-diethyl O-p-nitrophenyl thiophosphate)	4.4
INERT INGREDIENTS	100
TOTAL	

NET VOLUME

GALLON

Manufactured By

Southern Agricultural Chemicals, Inc.

KINGSTREE, S. C.

BEST DOCUMENT AVAILABLE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Wash eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given, see First Aid Treatment Section and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes and socks. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and stored according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Examine victims for the following symptoms of poisoning: headache, nausea, vomiting, cramps, weakness, dizziness, pin-point pupils, slowness in chest, labored breathing, increased salivation, watering of eyes, drooping or twitching of mouth and nose, muscle twitching and spasms.

FIRST AID TREATMENT

Remove clothing and shoes immediately. Examine the victim to see if he has been exposed to parathion. If so, remove the contaminated clothing.

Remove clothing and shoes immediately. Examine the victim to see if he has been exposed to parathion. If so, remove the contaminated clothing. Wash exposed areas with plenty of water. If parathion has been swallowed, give nothing by mouth to anyone who has been exposed to parathion. If parathion has been inhaled, get the victim to fresh air immediately.

Wash exposed areas with plenty of water for at least 15 minutes. If parathion has been inhaled, get the victim to fresh air immediately.

NOTE TO PHYSICIAN

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Examine victims for the following symptoms of poisoning: headache, nausea, vomiting, cramps, weakness, dizziness, pin-point pupils, slowness in chest, labored breathing, increased salivation, watering of eyes, drooping or twitching of mouth and nose, muscle twitching and spasms. If parathion has been swallowed, give nothing by mouth to anyone who has been exposed to parathion. If parathion has been inhaled, get the victim to fresh air immediately.

E.P.A. REG. NO. 3743 197

E.P.A. EST. NO. 3713 SC 1