## ZINEB 75W

CTIVE INGREDIENTS:

Zinch (Zinc othyrene budich scarlang ter\* 1998RT INGREDIENTS

75.0% 25.0% 100.0%

\*metallic zine equivalent macia.

## CAUTION: Keep Out of Reach of Children.

## DIRECTIONS

Apples: Fire Blight. Use 2 lbs. in 100 gallons of water. Apply at 2 to 3 days intervals. Make first application when blooms open and continue through petal fall.

Tobacco Blue Mold. Begin applications when plants emerge or when blue mold is lirst reported in area. Spray regularly 2 or 3 times per week during active blue mold water. Repeat applications immediately after a rain. Use 3 lbs. in 100 gallons of plant bed, depending on size of plants.

CAUTION: Keep out of reach of children!

May cause irritation of nose, throa, and skin

Do not breathe dust or spray mist.

In case of prolonged or frequent use, wear clean, protective clothing and bathe after each exposure.

p containers closed.

Score in a dry place

Keep away from the and sparks.

USDA Reg. No. 3743-214

## FORMULA

**ETIVE INGREDIENTS:** 

Zineb (Zinc othylone biodithiocarbamate)8 ---- 75.0%.
INDER INGREDIENTS: Fullers Forth (Diatomaccous)---- 25.0%

700.07

metallic sine ocuivalant 17 80