

if swallowed.
POISON: Antidote: If swallowed. Give a table-
spoonful of salt in a glass of warm water and re-
peat until vomit fluid is clear. Have victim lie
down and keep quiet. CALL A PHYSICIAN
IMMEDIATELY.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splash-
ed on skin, in eyes or on clothing (liquid goes
through clothes).

IF ON SKIN: In case of contact, remove conta-
minated clothing and immediately wash skin with
copious water.

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds
and other wildlife in treated areas may be killed.
Keep out of any body of water. Do not apply
when weather conditions favor drift from treated
areas. Do not apply where runoff is likely to oc-
cur. Do not contaminate water by cleaning of e-
quipment, or disposal of wastes.

Toxic to bees exposed to direct treatment or residues on
information may be obtained from your Cooperative Agricul-

POST TREATED AREA

Agricultural Extension Service or Experiment Station regarding

for proper disposal.

CROP USE DIRECTIONS

See instructions below

ALWAYS WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or res-
pirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep unprotected person and children away from treated area or where there is danger of drift.
Wash hands, face, eyes and mouth with water. If you feel sick in any way, STOP work and get help away. Call a doctor,
physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe the symptoms.
Get first aid as given in the First Aid Treatment section and send for a doctor. If a doctor is not available, call a clinic or hospital.
WASH. Before going home, wash them with soap and water. Always wash your hands and arms before
before smoking, eating or drinking.

WORK: take off all work clothes and shoes. Shower, using soap and water. Wash your face, clothes, shoes
Do not wear contaminated clothing. Wash your face, clothes, shoes, etc. before going home. Do not
wash. Keep children and pets away from treated area and do not allow them to enter treated area.

POISON SIGNS (Symptoms)

Parathion is a dangerous poison. It readily enters the body on contact with the skin, eyes, nose, mouth or
the signs and symptoms of poisoning are: headache, dizziness, nausea, vomiting, diarrhea, sweating, salivation,
tightness of chest, difficulty breathing, weakness, tingling, numbness, paralysis, convulsions, and
seizures and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Do not attempt to induce vomiting unless instructed to do so by a
doctor.

If breathing has stopped, start artificial respiration immediately and maintain until doctor says to stop. If swallowed and
unconscious, make sure vomit quickly induce vomiting by taking finger in the throat or by drinking
salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Lie
down and keep quiet. See doctor immediately. In case of contact, immediately flush eyes or skin with plenty
of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Administer atropine sulfate in large doses, TWO to FOUR mg intravenously or intramuscularly with atropine
Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM (2-Pyridylthioethylamine) should
be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a
cholinesterase inhibitor affecting the central and peripheral nervous systems and the heart and respiratory
system. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically.
and absorption of the poison may occur and fatal delays have been reported after initial improvement. MEDICAL
SUPERVISION OF PATIENT IS INDICATED FOR AT LEAST 48 HOURS

POISON

See side panel
for antidote
and precautions



DANGER

Keep out of reach
of children

CAN KILL YOU

Captan Parathion 25.75 Wettable

NOT FOR HOME USE

ACTIVE INGREDIENTS

Captan

Parathion**

INERT INGREDIENTS

*N-(trichloromethyl thioethyl)phosphoramide

**O, O-diethyl O-p-nitrophenyl thiophosphate

REGISTERED UNDER THE FEDERAL INSECTICIDE ACT

MANUFACTURED BY

ED UNO, INC.

SUBJECT

3743-238

NOV 8 1972

By Wt.

25.0%

7.5%

67.5%

KINGSTREE, S. C.