

1 of 2
Pin 12
374 38

BEST AVAILABLE COPY

RESTRICTED USE PESTICIDE
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

DANGER—POISON—PRECAUTIONS



POISONOUS IF SWALLOWED

This product is an acute poison and should be used only in the manner directed on the label. It is highly toxic to humans. **POISON** Antidote: Give a large quantity of water and induce vomiting. If necessary, give a laxative. If unconscious, give artificial respiration. If breathing stops, give artificial respiration. If necessary, give oxygen. If necessary, give epinephrine. If necessary, give atropine. If necessary, give morphine. If necessary, give other drugs as directed by a physician.



POISONOUS BY SKIN CONTACT

This product is an acute poison and should be used only in the manner directed on the label. It is highly toxic to humans. **POISON** Wash immediately with soap and water. If necessary, give artificial respiration. If necessary, give oxygen. If necessary, give epinephrine. If necessary, give atropine. If necessary, give morphine. If necessary, give other drugs as directed by a physician.



POISONOUS IF BREATHED

This product is an acute poison and should be used only in the manner directed on the label. It is highly toxic to humans. **POISON** Move to fresh air. If necessary, give artificial respiration. If necessary, give oxygen. If necessary, give epinephrine. If necessary, give atropine. If necessary, give morphine. If necessary, give other drugs as directed by a physician.

POISONOUS TO FISH AND WILDLIFE

This product is an acute poison and should be used only in the manner directed on the label. It is highly toxic to humans. **POISON** Do not use in or near water. Do not use on or near fish or wildlife. Do not use on or near birds or mammals. Do not use on or near bees or other beneficial insects. Do not use on or near plants or animals that are used for food or medicine.

ACCEPTED
AUG 25 1978
Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under EPA Reg. N

STOP — READ LABEL BEFORE USING!



POISON

See side panels for antidote and precautions

DANGER

Keep out of reach of children

CAN KILL YOU

Captan Parathion 25-7.5 Wettable
NOT FOR HOME USE

ACTIVE INGREDIENTS
Captan 25.0%
Parathion 7.5%
INERT INGREDIENTS
Nonyl phenol 1.0%
Dodecyl dimethylammonium phosphate 66.5%

By Wt
25.0%
7.5%
67.5%

Manufactured By
Southern Agricultural Chemicals, Inc.
KINGSTREE, S. C.

This product is a restricted use pesticide. It is highly toxic to humans. It is also highly toxic to fish and wildlife. It is also highly toxic to bees and other beneficial insects. It is also highly toxic to plants and animals that are used for food or medicine. It is also highly toxic to birds and mammals. It is also highly toxic to bees and other beneficial insects. It is also highly toxic to plants and animals that are used for food or medicine.

POST TREATED AREA
CONTAINER DISPOSAL
CROP USE DIRECTIONS

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING
Wear safety glasses. Wear mask or respirator. Wear gloves. Wear long-sleeved shirt and long pants. Wear closed-toe shoes. Do not eat, drink, or smoke while using this product. Do not use in or near water. Do not use on or near fish or wildlife. Do not use on or near birds or mammals. Do not use on or near bees or other beneficial insects. Do not use on or near plants or animals that are used for food or medicine.

WORK SAFETY RULES
Keep children and pets away from treated areas. Do not enter treated areas until the spray has dried. Do not rub eyes, nose, or mouth. If you feel sick in any way, stop work and get help right away. Call a doctor. Explain that you are using this product. Do not use if you are pregnant or nursing. Do not use if you are allergic to any of the ingredients. Do not use if you have a respiratory condition. Do not use if you have a heart condition. Do not use if you have a history of seizures. Do not use if you have a history of asthma. Do not use if you have a history of diabetes. Do not use if you have a history of high blood pressure. Do not use if you have a history of kidney disease. Do not use if you have a history of liver disease. Do not use if you have a history of stomach disease. Do not use if you have a history of skin disease. Do not use if you have a history of eye disease. Do not use if you have a history of hearing loss. Do not use if you have a history of vision loss. Do not use if you have a history of any other medical condition.

POISON SIGNS (Symptoms)
Irritation of the eyes, nose, throat, and skin. Dizziness. Headache. Nausea. Vomiting. Diarrhea. Stomach pain. Weakness. Fatigue. Loss of appetite. Loss of consciousness. Convulsions. Death.

FIRST AID TREATMENT
If inhaled: Move to fresh air. If necessary, give artificial respiration. If necessary, give oxygen. If necessary, give epinephrine. If necessary, give atropine. If necessary, give morphine. If necessary, give other drugs as directed by a physician.
If swallowed: Give a large quantity of water and induce vomiting. If necessary, give a laxative. If unconscious, give artificial respiration. If necessary, give oxygen. If necessary, give epinephrine. If necessary, give atropine. If necessary, give morphine. If necessary, give other drugs as directed by a physician.
If on skin: Wash immediately with soap and water. If necessary, give artificial respiration. If necessary, give oxygen. If necessary, give epinephrine. If necessary, give atropine. If necessary, give morphine. If necessary, give other drugs as directed by a physician.

NOTE TO PHYSICIANS
This product is a restricted use pesticide. It is highly toxic to humans. It is also highly toxic to fish and wildlife. It is also highly toxic to bees and other beneficial insects. It is also highly toxic to plants and animals that are used for food or medicine. It is also highly toxic to birds and mammals. It is also highly toxic to bees and other beneficial insects. It is also highly toxic to plants and animals that are used for food or medicine.

2 of 2
Ph 12
3743-238

BEST AVAILABLE COPY

STORE IN COOL, DRY PLACE. PROTECT FROM EXCESSIVE HEAT
DO NOT REUSE EMPTY CONTAINER. BURN BAG IMMEDIATELY
WHEN EMPTY. STAY OUT OF SMOKE.

DANGER: KEEP OUT OF REACH OF CHILDREN

DIRECTIONS

Spray thoroughly for complete coverage. This product is not to be used around homes or home gardens.

PEACHES Plum Curculio, Oriental Fruit Moth, Plant Bugs, Aphids, San Jose, Forbes, Lecanium and Cottony Cushion Scale, Red Spider Mites, Peach Tree Borer, Lesser Peach Tree Borer, Brown Rot and Scab. Use A for 100% air water. Make first application at 10 day intervals for the next 3 days. Do not apply to peach within 14 days of harvest. Do not apply more than 5 times a year. 10 per acre per year. Do not use in California.

PREBLOSSOM, BLOSSOM AND PREHARVEST SPRAYS To Control Brown Rot on Peaches Use A for 100% air water. Make first application at 10 day intervals for the next 3 days. Do not apply to peach within 14 days of harvest. Do not apply more than 5 times a year. 10 per acre per year. Do not use in California.

PEACH TREE BORER TRUNK SPRAY Spray trunks of trees thoroughly with 100% air water. Make first application at 10 day intervals for the next 3 days. Do not apply to peach within 14 days of harvest. Do not apply more than 5 times a year. 10 per acre per year. Do not use in California.

NOTICE

This product is a restricted use pesticide. It is not to be used by anyone who is not a trained and certified applicator. It is not to be used in any manner that is inconsistent with the label directions. It is not to be used in any manner that is inconsistent with the label directions.

DANGER

This product is a restricted use pesticide. It is not to be used by anyone who is not a trained and certified applicator. It is not to be used in any manner that is inconsistent with the label directions. It is not to be used in any manner that is inconsistent with the label directions.

This product will kill fish. Keep out of lakes, streams, and ponds. Use only as directed on this label.

CAUTION

This product is a restricted use pesticide. It is not to be used by anyone who is not a trained and certified applicator. It is not to be used in any manner that is inconsistent with the label directions. It is not to be used in any manner that is inconsistent with the label directions.

Do not reuse empty containers. Destroy by burning in a safe place. Do not reuse.



This product is a crop protection pesticide. Consult your State Pesticide Control Agency for restrictions.

USE ONLY AS DIRECTED ON LABEL. (1) V. parvula. Keep out of reach of children. Do not use for physical therapy. IMPO and water. AFTE. UG 10 after.

Parathion. Do not use for physical therapy. IMPO and water. AFTE. UG 10 after.

Call a professional. Do not use for physical therapy. IMPO and water. AFTE. UG 10 after.

Do not use for physical therapy. IMPO and water. AFTE. UG 10 after.

PEACH TREE BORER TRUNK SPRAY