

**DANGER - POISON - PRECAUTIONS** 



**POISONOUS IF SWALLOWED**

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)

**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

**CONTAINER DISPOSAL**

See attached booklet for proper disposal.

**CROP USE DIRECTIONS**

Use only according to attached label booklet instructions.

**STOP - READ LABEL BEFORE USING!**

**POISON**

See side panels  
for antidote  
and precautions



**DANGER**

Keep out of reach  
of children

**CAN KILL YOU**

**PARATHION - 15 W**

**NOT FOR HOME USE**

**ACTIVE INGREDIENTS:**

Parathion (O, O-diethyl O-p-nitrophenyl thiophosphate) 15%

INERT INGREDIENTS 85%

TOTAL 100%

**NET VOLUME**

**GALLON**

**MANUFACTURED BY**

**Southern Agricultural Chemicals, Inc.**

**KINGSTREE, S. C.**

**NEWLAND, N. C.**

**USE ONLY WITH CLOTHING**

(1) Wear water goggles. (3) Wear protection. (4)

Keep all unpro danger of drift. Do not rub eyes right away. victim has been (see First Aid hospital. IMPORTANT hands, face and AFTER WORK only clean clo clothing and be cleaned and

surfaces and posed persons. Some of the weakness, bluousness, swe spasms and c

Call a doctor ( exposed to pa If breathing doctor sees v quickly. Induc water to drink conscious pers In case of con minutes while

Antidote adm intramuscula signs of atrop in conjunctio Parathion is vious system pulmonary a tomatically. reported after INDICATED

ACCEPTED

TOP - READ LABEL BEFORE USING!



POISON  
side panels  
antidote  
precautions

DANGER  
Keep out of reach  
of children

CAN KILL YOU

PARATHION - 15 W  
NOT FOR HOME USE

ACTIVE INGREDIENTS:	
Parathion (O, O-diethyl O-p-nitrophenyl thiophosphate)	15%
INERT INGREDIENTS	85%
TOTAL	100%

NET VOLUME \_\_\_\_\_ GALLON  
MANUFACTURED BY  
Southern Agricultural Chemicals, Inc.  
KINGSTREE, S. C. NEWLAND, N. C.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should

POISON SIGNS (symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote-administer atropine sulfate in large doses, TWO to FOUR mg. Intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edma, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

**PEACHES:** For control of curculio, cat facing insects, Oriental fruit moth, San Jose scale, leaf roller, green peach aphid, cotton peach scale and spider mites use 2 lbs. per 100 gallons of water. Begin spraying when petals have fallen and continue every 7-14 days.

Areas other than California: Do not apply within 14 days of harvest. Do not apply more than 5 lbs. parathion per acre per year.

California: Do not apply within 21 days of harvest. Do not apply more than once after bloom. Do not apply more than 5 lbs. actual parathion per acre between January 1 and harvest.

**BLUEBERRIES:** For control of plum curculio, cranberry fruitworm, cherry fruitworm use at the rate of 2 lb. per 100 gallons of water. Spray immediately after first bloom and again 7-10 days later. Do not apply within 14 days of harvest.

**TOMATOES:** Plant Beds—Flea beetle and aphids use ½ lb. in 5 gallons of water to 100 sq. yards of bed. Green June beetle grub, Midge and cranberry larvae use ½ lb. in 50 gallons of water to 100 sq. yards of bed. **LARGER PLANTS:** Flea beetles and aphids use 2 to 3 lbs. per acre in sufficient water to give good coverage. Spray entire plant. Do not make applications within 5 days of priming or 15 days before cutting. Avoid getting wet with plant juices when cutting.

Mix 15% Parathion WETTABLE POWDER with water by pouring a measured amount in the full amount of water while agitator is in motion. Avoid spilling and inhalation. Do not walk behind sprayer and do not smoke during the spraying process. The applications should be scheduled in accordance with local conditions including the degree of insect infestation. Keep all persons out of the operating area or vicinity where there may be danger of drift. Vented areas should not be used.

This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension service.

**DANGER:** Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. If spilled on skin wash immediately with soap and warm water. Do not use on excessively hot days or in confined areas. Do not breathe fumes, dust, spray mist or aerosol. Wear a toxic dust or mist respirator of a type approved by the U. S. Bureau of Mines for Parathion protection. Do not contaminate feed or foodstuffs. Wash hands, arms and face thoroughly with soap and warm water before eating or smoking and wash all contaminated clothing with soap and hot water before re-use.

Do not apply when weather conditions favor drift from areas treated.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse empty container. Destroy by burning. Keep out of smoke.

This product will kill fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment, or disposal of wastes.

**NOTICE:** Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**READ ALL DIRECTIONS CAREFULLY BEFORE USING.** For best local recommendations consult Agricultural Authorities in your State.

NET WEIGHT \_\_\_\_\_ POUNDS

EPA Reg. No. 3743-253

MAV 22, 1972

ACC

10-1-72