


BEST DOCUMENT

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

DANGER-POISON-PRECAUTIONS 

STOP - READ LABEL BEFORE USING!



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

POSTTREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding pestling treated areas.

CONTAINER DISPOSAL

Attached booklet for proper disposal.

CROP USE DIRECTIONS

Use only according to attached label booklet instructions.

POISON

See side panels
for antidote
and precautions

DANGER

Keep out of reach
of children



CAN KILL YOU

ACCEPTED
AUG 25 1978
Under the Federal Insecticide,
Fungicide, and Plant Growth Regulator
Act, as amended, this pesticide
is registered under EPA Reg. No. 100-13253

PARATHION - 15 W

NOT FOR HOME USE

ACTIVE INGREDIENTS:

Parathion (O, O-diethyl O-p-n trophenyl thiophosphate) 15%

INERT INGREDIENTS

TOTAL

85%
100%

MANUFACTURED BY

Southern Agricultural Chemicals, Inc.

KINGSTREE, S. C.

NEWLAND, N. C.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or goggles. (2) Wear mask or respirator approved by the U.S. Dept. of Health. (3) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated areas. Do not enter treated areas until drift has stopped.

Do not rub eyes or mouth with hands. If you feel sick in any way, stop work at once. Call a doctor (physician), clinic or hospital. If a victim has been exposed to parathion and describe his condition (see First Aid Treatment Section) and if a doctor cannot be reached, call a hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Wash face and arms with soap and water before smoking, eating or drinking. **AFTER WORK,** take off all work clothes and shoes. Shower and change into clean clothes when leaving job. Do not wear contaminated clothing and protective equipment with soap and water. Clean and replace according to instructions.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body through the skin, eyes, nose, mouth and lungs. Persons exposed to parathion must receive prompt medical treatment. Some of the signs and symptoms of poisoning are: Headache, weakness, blurred vision, pin point pupils, tightness of the chest, sweating, watering of eyes, drooping of the eyelids, spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. If exposed to parathion and describe his condition. If breathing has stopped, start artificial respiration. If doctor sees victim, if swallowed and victim is awake, induce vomiting by sticking finger down throat. Do not drink water. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. In case of contact, immediately flush eyes or skin with water for 15 minutes while removing contaminated clothing and shoes.

NOTE TO PHYSICIAN

Antidote administer atropine sulfate in large doses. Give intramuscularly as soon as cyanosis is overcome. Repeat doses of atropinization appear. 2 PAM chloride is also administered in conjunction with atropine. **DO NOT GIVE MORE PARATHION.** Parathion is a strong cholinesterase inhibitor affecting nervous systems and producing cardiac and respiratory pulmonary edema. The patient should be given supportive treatment. Continued absorption of the poison may be reported after initial improvement. **VERY CLOSE SURVEILLANCE INDICATED FOR AT LEAST 48 HOURS.**

BEST DOCUMENT AVAILABLE

RESTRICTED USE PESTICIDE

For retail sale and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

DANGER-POISON-PRECAUTIONS ☠

STOP - READ LABEL BEFORE USING!

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

POSTTREATED AREA

Natural Extension Service or Experiment Station regarding

CONTAINER DISPOSAL

See disposal

CROP USE DIRECTIONS

See label booklet instructions

POISON

See side panels
for antidote
and precautions



DANGER

Keep out of reach
of children

CAN KILL YOU

PARATHION - 15 W

NOT FOR HOME USE

ACTIVE INGREDIENTS:

Parathion (O, O-dimethyl O-p-nitrophenyl thiophosphorothioate) 15%

INERT INGREDIENTS

TOTAL

85%

100%

MANUFACTURED BY

Southern Agricultural Chemicals, Inc.

KINGSTREE, S. C.

NEWLAND, N. C.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: Take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote administered: atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropine therapy appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VIGILANT CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

EPA Reg. No. 37432-1
EPA EST. NO. 37430-1

DIRECTIONS FOR USING PARATHION - 15 W

PEACHES: For control of curculio, cat facing insects, Oriental fruit moth, San Jose scale, leaf roller, green peach aphid, cotton peach scale and spider mites use 2 lbs. per 100 gallons of water. Begin spraying when petals have fallen and continue every 7-14 days.

Areas other than California: Do not apply within 14 days of harvest. Do not apply more than 5 lbs. parathion per acre per year.

California: Do not apply within 21 days of harvest. Do not apply more than once after bloom. Do not apply more than 5 lbs. actual parathion per acre between January 1 and harvest.

BLUEBERRIES: For control of plum curculio, cranberry fruitworm, cherry fruitworm use at the rate of 2 lb. per-100 gallons of water. Spray immediately after first bloom and again 7-10 days later. Do not apply within 14 days of harvest.

TOBACCO: Plant Beds—Flea beetle and aphids use $\frac{1}{2}$ lb. in 5 gallons of water to 100 sq. yards of bed. Green June beetle grub, Midge and crane fly larvae use $\frac{1}{2}$ lb. in 50 gallons of water to 100 sq. yards of bed. **LARGER PLANTS:** Flea beetles and aphids use 2 to 5 lbs. per acre in sufficient water to give good coverage. Spray entire plant. Do not make applications within 5 days of pruning or 15 days before cutting. Avoid getting wet with plant juices when cutting.

Mix 15.7 Parathion WETTABLE POWDER with water by pouring a measured amount in the full amount of water while agitator is in motion. Avoid spilling and inhalation. Do not walk behind sprayer and do not smoke during the spraying process. The applications should be scheduled in accordance with local conditions including the degree of insect infestation. Keep all persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until the drifting insecticide and volatile residues have dissipated.

This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension service.

DANGER: Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through the skin. Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. If spilled on skin wash immediately with soap and warm water. Do not use on excessively hot days or in confined areas. Do not breathe fumes, dust, spray mist or aerosol. Wear a toxic dust or mist respirator of a type approved by the U. S. Bureau of Mines for Parathion protection. Do not contaminate feed or foodstuffs. Wash hands, arms and face thoroughly with soap and warm water before eating or smoking and wash all contaminated clothing with soap and hot water before re-use.

Do not apply when weather conditions favor drift from areas treated.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse empty container. Destroy by burning. Keep out of smoke.

This product will kill fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment, or disposal of wastes.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.

READ ALL DIRECTIONS CAREFULLY BEFORE USING. For best local recommendations consult Agricultural Authorities in your State.

NET WEIGHT

POUNDS

BEST DOCUMENT AVAILABLE