

**Southern**  
AGRICULTURAL CHEMICALS, INC.

POST OFFICE DRAWER 52

Kingstree, S. C. 295



**ACTIVE INGREDIENTS:**


Captan (N-trichloromethylthio-4-cyclohexene-1, 2-dicarboximide)

Ferbam (Ferric dimethyldithiocarbamate)

Sulfur

Parathion (O,O-diethyl O-p-nitrophenyl thiophosphate)

**INERT INGREDIENTS:**



By Wt.

4.00%

1.50%

6.00%

1.00%

87.50%

TOTAL

100.00%

STORE IN COOL, DRY PLACE

PROTECT FROM EXCESSIVE HEAT

BURN BAG IMMEDIATELY WHEN EMPTY

**WARNING: KEEP OUT OF REACH OF CHILDREN**

**DIRECTIONS:** For control of scab, rust, powdery mildew, codling moth, leaf roller and curculio. Use at rate of 50 lbs. per acre. Dust thoroughly to give coverage to undersides of leaf. Use in place of petal fall and first cover spray in times of adverse weather when spraying is not possible. Do not apply within 15 days of harvest.

Sulfur may burn foliage when temperatures are excessively high. Do not use sulfur on apple foliage within 10 to 14 days of an oil spray.

**Warning:** May Be Fatal If Swallowed, Inhaled, or Absorbed through skin. Do not get in eyes or skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for guthion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be reentered for at least two days. Do not store near feed and food products. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**NOTICE:** Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Net wt. 50 Lb

E. P. A. Reg. No. 3743-269