



# DANGER: POISON



See antidote statement and other precautions on the back side panel.

## ACTIVE INGREDIENTS:

Captan (N-trichloromethyl-4-cyclohexene-1, 2, dicarboximide)

\*Zineb (Zinc ethylene bisdithiocarbamate)

Guthion (O,O-Dimethyl S-[4-oxo-1,2,3-benzotriazin-5-(1H)-yl] methyl phosphorodithioate)

## INERT INGREDIENTS:

\*Zinc expressed as metallic -1.18%

By Wt.

5.0%

5.0%

87.5%

100.0%


STORE IN COOL, DRY PLACE. PROTECT FROM EXCESSIVE HEAT.

BURN BAG IMMEDIATELY WHEN EMPTY. STAY OUT OF SMOKE.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

## DANGER: KEEP OUT OF REACH OF CHILDREN

**DIRECTIONS:** For control of scab, mites, frog-eye, codling moth, brown rot, and oriental fruit moth in apples. Use rate of 30 lbs. per acre dusting thoroughly to give coverage to undersides of leaves. This mixture is designed to be used in place of 5th, 6th, and 7th cover sprays in times of adverse weather when spraying is not possible. Do not apply within 15 days of harvest in Arkansas, Delaware, Illinois, Indiana, Kansas, Kentucky, Maryland, Missouri, New Jersey, North Carolina, Ohio, Pennsylvania, South Carolina, Tennessee, Virginia, and West Virginia or



3743-271

For the following orchard pests apply at petal fall and every 10 to 14 days thereafter until control is achieved.

Codling moth, apple maggot, oriental fruit moth, or plum curculio.

DO NOT APPLY MORE THAN 8 TIMES PER SEASON.

**ANTIDOTE:** If swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician Immediately!

In case of eye contact, IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER AND GET MEDICAL ATTENTION.

If on skin. In case of contact remove contaminated clothing and immediately wash skin with soap and water.

**DANGER:** Poisonous IF SWALLOWED, Inhaled, or Absorbed Through Skin! Do not get in eyes or skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for guthion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be reentered for at least two days. Do not store near food and food products. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

DO NOT BREATHE DUST.

Note to Physicians: Atropine is antidotal. Ephedrine is also antidotal and may be administered in conjunction with atropine.

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply when animals are in treated areas. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by loading of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees. Do not apply to fruit trees when bees are active. Protective information may be obtained from the Cooperative Extension, Extension Service.

**NOTICE:** Follow directions carefully. Timing and method of application, weather, and crop condition, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of seller. Buyer assumes responsibility for safe and effective use of this product. Do not use in conjunction with directions given on other labels.

MANUFACTURED BY

**SOUTHERN AGRICULTURAL CHEMICALS, INC.**

1075 E. 10th St. KINGSTREE, S. C.

NEWLAND, N. C. 27858