


7-8-101

# SPECIAL GARDEN DUST

## For Control of Insects & Diseases in Gardens

**ACTIVE INGREDIENTS:**

Carbaryl (1-Naphthyl N-Methylcarbamate)  
Maneb (Manganese Ethylenebis(dithiocarbamate))

**INERT INGREDIENTS**

"Sevin Reg. Trademark of Union Carbide

TOTAL

100.0%

**CAUTION: KEEP OUT OF REACH OF CHILDREN****DIRECTIONS**

**BEANS:** For control of Mexican Bean Beetle, Flea Beetles, Corn Ear Worms, thoroughly dust upper and lower leaf surfaces. Begin application when insects appear and dust weekly as needed. Do not apply within 4 days of harvest.

**POTATOES:** For control of Colorado Potato Beetles, and Flea Beetles, thoroughly dust upper and lower leaf surfaces. Begin application when insects appear and dust weekly as needed.

**TOMATOES:** For control of Flea Beetles and Tomato Fruit Worm, thoroughly dust upper and lower leaf surfaces. Begin application when insects appear and dust weekly as needed. Do not apply within 5 days of harvest.

**CABBAGE:** For control of Imported Cabbage Worms thoroughly dust upper and lower leaf surfaces. Begin application when insects appear and dust weekly as needed. Do not apply within 7 days of harvest.

**CUCUMBER:** For control of Cucumber Beetles, Melon Worms, thoroughly dust upper and lower leaf surfaces. Begin application when insects appear and dust weekly as needed. Do not apply within 5 days of harvest.

**FOR CONTROL** of Bean Rust, Downy Mildew and ~~Scab~~<sup>blight</sup>, Anthracnose in cucumbers, late and early blight in potatoes and tomatoes, gray leafspot in tomatoes, downy mildew in pepper, scab in summer squash. Thoroughly dust upper and lower leaf surfaces when disease first appears. Use weekly and after each rain. Do not apply within 5 days of harvest on summer squash.

**CAUTION:** Harmful if swallowed or inhaled! Do not take internally. Avoid breathing dust. Avoid contact with skin. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs. Do not treat vines that will be fed to dairy animals being fattened for slaughter.

This product is toxic to fish. Keep out of any water. Do not contaminate water by leaking, of equipment, or disposal of wastes. Do not reuse empty container. Do not water crops.

This product is highly toxic to bees exposed to direct treatment or residual dust. Protective information may be obtained from your supplier or agricultural extension office.

FIA Reg. No. 7743-275