

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

This product is an insecticide dust formulation to be used by the commercial grower or commercial applicator. Apply when air is calm. To obtain most effective result, apply with a ground duster or by airplane. Make thorough coverage of plants with a uniform deposit of dust. Use at the rate of 20-25 lb. per acre.

RECOMMENDATIONS

PEANS: Aphids, Armyworms, Leafhoppers, Beet Beetles, Flea Beetles, Ground Squirrels, Root Knot, Root Rot, Root Weevils, Spotted Wing, etc. Do not apply within 15 days of harvest.

BROCCOLI, CABBAGE, BRUSSEL SPROUTS, CAULIFLOWER: Aphids, Armyworms, Leafhoppers, Beet Beetles, Flea Beetles, Ground Squirrels, Root Knot, Root Rot, Root Weevils, Spotted Wing, etc. Do not apply within 21 days of harvest.

CUCUMBER, SQUASH, MELONS: Aphids, Armyworms, Leafhoppers, Beet Beetles, Flea Beetles, Ground Squirrels, Root Knot, Root Rot, Root Weevils, Spotted Wing, etc. Do not apply to cucumbers before plants cut to vine or within 15 days of harvest. Apply only when plants are dry.

POTATOES, TOMATOES: Aphids, Armyworms, Leafhoppers, Beet Beetles, Flea Beetles, Ground Squirrels, Root Knot, Root Rot, Root Weevils, Spotted Wing, etc. Do not apply on potatoes within 5 days of harvest, on tomatoes within 10 days of harvest.

COTTON: Aphids, Armyworms, Leafhoppers, Beet Beetles, Flea Beetles, Ground Squirrels, Root Knot, Root Rot, Root Weevils, Spotted Wing, etc. Do not apply within 24 hours after application. Do not wear protective clothing. Do not eat, drink, or smoke within 2 days. Do not apply within 15 days of harvest if cotton trash is to be fed to dairy animals or animals being finished for slaughter.

ORAGE CROPS: Alfalfa, Brome, Clover, etc. Do not apply within 15 days of harvest or forage use. Birds and other wildlife in treated areas may be killed.

STRAWBERRIES: Aphids, Armyworms, Leafhoppers, Beet Beetles, Flea Beetles, Ground Squirrels, Root Knot, Root Rot, Root Weevils, Spotted Wing, etc. Do not use within 14 days of harvest.



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

ACCEPTED POISONOUS BY SKIN CONTACT

Poisonous if touched or splashed on skin or in eyes or on clothing (liquid goes through clothes). Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered on 8/23/78.

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is highly toxic to fish and wildlife. Do not apply to water bodies or areas adjacent to water bodies. Do not apply to areas where fish and wildlife are present. Do not apply to areas where birds are present. Do not apply to areas where mammals are present. Do not apply to areas where reptiles and amphibians are present. Do not apply to areas where insects are present. Do not apply to areas where plants are present. Do not apply to areas where soil is present. Do not apply to areas where air is present. Do not apply to areas where water is present. Do not apply to areas where fire is present. Do not apply to areas where lightning is present. Do not apply to areas where earthquakes are present. Do not apply to areas where volcanoes are present. Do not apply to areas where tsunamis are present. Do not apply to areas where hurricanes are present. Do not apply to areas where tornadoes are present. Do not apply to areas where comets are present. Do not apply to areas where meteors are present. Do not apply to areas where asteroids are present. Do not apply to areas where planets are present. Do not apply to areas where stars are present. Do not apply to areas where galaxies are present. Do not apply to areas where the universe is present.

POST TREATED AREA: Do not enter treated area until dust has settled. Do not breathe dust. Do not touch treated area. Do not swallow treated area. Do not drink treated area. Do not eat treated area. Do not smoke treated area. Do not use treated area for food or feed. Do not use treated area for water. Do not use treated area for fire. Do not use treated area for lightning. Do not use treated area for earthquakes. Do not use treated area for volcanoes. Do not use treated area for tsunamis. Do not use treated area for hurricanes. Do not use treated area for tornadoes. Do not use treated area for comets. Do not use treated area for meteors. Do not use treated area for asteroids. Do not use treated area for planets. Do not use treated area for stars. Do not use treated area for galaxies. Do not use treated area for the universe.

CONTAINER: Do not use for food or feed. Do not use for water. Do not use for fire. Do not use for lightning. Do not use for earthquakes. Do not use for volcanoes. Do not use for tsunamis. Do not use for hurricanes. Do not use for tornadoes. Do not use for comets. Do not use for meteors. Do not use for asteroids. Do not use for planets. Do not use for stars. Do not use for galaxies. Do not use for the universe.

CAUTION: Do not use in home gardens.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicator under their direct supervision and only for those uses on Certified Applicator's certification.

STOP - READ LABEL BEFORE USE

POISON

See side panels for antidote and precautions



DEATH

Keep out of reach of children

CAN KILL YOU

2% **PARATHION**
NOT FOR HOME USE

ACTIVE INGREDIENT

Parathion (O,O-diethyl O-p-nitrophenyl phosphorothioate)

INERT INGREDIENTS

TOTAL

NET WEIGHT

MANUFACTURED BY

Southern Agricultural Chemical
KINGSTREE, S. C. NEWLAND, N. C.

DANGER—POISON—PRECAUTIONS ☠

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

ACCEPTED
POISONOUS BY SKIN CONTACT

Poisonous if touched or splashed on skin, in eyes or on clothing (liquid goes through clothes).
Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered at 1/1/74.

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Do not use in or near any body of water. Do not use in or near any area where wildlife may be present. Do not use in or near any area where crops are growing. Do not use in or near any area where people may be present. Do not use in or near any area where children may be present. Do not use in or near any area where pets may be present. Do not use in or near any area where livestock may be present. Do not use in or near any area where poultry may be present. Do not use in or near any area where bees may be present. Do not use in or near any area where beneficial insects may be present. Do not use in or near any area where beneficial animals may be present. Do not use in or near any area where beneficial plants may be present. Do not use in or near any area where beneficial fungi may be present. Do not use in or near any area where beneficial bacteria may be present. Do not use in or near any area where beneficial viruses may be present. Do not use in or near any area where beneficial protozoa may be present. Do not use in or near any area where beneficial eukaryotes may be present. Do not use in or near any area where beneficial prokaryotes may be present. Do not use in or near any area where beneficial archaea may be present. Do not use in or near any area where beneficial fungi may be present. Do not use in or near any area where beneficial bacteria may be present. Do not use in or near any area where beneficial viruses may be present. Do not use in or near any area where beneficial protozoa may be present. Do not use in or near any area where beneficial eukaryotes may be present. Do not use in or near any area where beneficial prokaryotes may be present. Do not use in or near any area where beneficial archaea may be present.

POST-TREATED AREA

Do not enter or allow children or pets to enter treated area until dry.

CONTAINER DISPOSAL

Do not reuse. This product is to be used only by the user.

CROP USE DIRECTIONS

Obtain most effective results. Apply with care. Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

Do not use in or near any area where crops are growing.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

STOP - READ LABEL BEFORE USING!

POISON

See side panels for antidote and precautions



DANGER

Keep out of reach of children

CAN KILL YOU

2% PARATHION
NOT FOR HOME USE

ACTIVE INGREDIENTS

2% PARATHION (2,4,6-Trichlorophenyl methyl phosphorothioate)

INERT INGREDIENTS

8% INERT INGREDIENTS (80% INERT INGREDIENTS)

NET WEIGHT

MANUFACTURED BY

20 lbs

Southern Agricultural Chemicals, Inc.
KINGSTREE, S. C. NEWLAND, N. C.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U. S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician, clinic or hospital) immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK Take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and replaced according to instructions. Do not use with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. If rapidly enters the body, on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons may show a prompt response to treatment or they may die.

Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tight chest, labored breathing, nervousness, sweating, watering of eyes, drooping or twitching of mouth and nose, muscle spasms and convulsions.

FIRST AID TREATMENT

Call a doctor (physician, clinic or hospital) immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician, clinic or hospital) immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

NOTE TO PHYSICIAN

Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of poisoning, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

BEST DOCUMENT AVAILABLE EPA REG. NO. 341327 EPA EST. 37113C1