

SEVIN 5-1 DUST

(Contains Sevin* and Parathion)

ACTIVE INGREDIENTS:

Carbaryl 1-naphthyl N-methylcarbamate
parathion (O, O-diethyl O-p-nitrophenyl thiophosphate)

INERT INGREDIENTS

*Trade Mark of UCC for 1-naphthyl N-methylcarbamate.

ACCEPTED
9-27-72
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 3743-280

5.00%
1.00%
94.00%
100.00%

WARNING: KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE

TOBACCO: READ ENTIRE LABEL. USE IN STRICT ACCORDANCE WITH LABEL DIRECTIONS AND WARNINGS. HORNWORMS, BUDWORMS, APHIDS, FLEA BEETLES, SUCKFLY, GRASSHOPPERS. Apply 20 to 40 pounds per acre depending on the size of the plants. Make applications when insects first appear and repeat as necessary. Avoid excessive applications.

FOR BUDWORMS: When mechanical hand dust applications are directed to the bud and top leaves only, apply 6 to 8 pounds per acre. Cloth bags and shaker cans are not acceptable for application of parathion, at any concentration. Do not apply within five days of priming or fifteen days of cutting. Avoid getting wet with plant juices when cutting the crop.

WARNING! MAY BE FATAL IF SWALLOWED, Inhaled, or Absorbed through skin! Rapidly absorbed through skin! Do not get in eyes, clothes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Workers entering a treated field within 5 days of an application should wear protective clothing. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and hot water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Do not re-use container, destroy by burying in a safe place. Use only as directed on this label.

ANTIDOTE: If swallowed, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately! Physicians note: Never give morphine. Give atropine grains 1/100 two or three tablets at once and every hour up to 30 tablets or until pupils dilate. Clear chest by postural drainage. Give artificial respiration if patient becomes comatose. 2-Pam is also antidotal and may be administered in conjunction with atropine. This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTICE: Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

E. P. A. Reg. No. 3743-280