

COTTON INSECT CONTROL:

When the amount of Endrin is expressed in terms of actual endrin per acre, use the following table to determine the amount of this product required. Use 10 to 20 gallons of water per acre.

Stripes, Cotton Flea Hopper, Rapid Plant Bug, Tarnished Plant Bug

Recommended dosage:		Amount of this product Required:
Early season control	1/2 pint/acre	1 gallon in sufficient water to cover 16 acres
Mid-season control	2/3 pint/acre	1 gallon in sufficient water to cover 12 acres
Late season control	1 pint/acre	1 gallon in sufficient water to cover 8 acres

Boll Weevil and Bollworm (Does not include Pink Bollworm)


Early season control—0.2 lbs. (1 Pint) Actual Endrin per acre

Mid-season and late season control 0.2 to 0.5 lbs. (1 to 2 1/2 pints) actual Endrin per acre

Leaf Worm—0.2 lbs. (1 pint) actual Endrin per acre when necessary

For Grasshopper control, use 0.25 lb. (1 1/4 pints) per acre when necessary

NOTICE: Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.



ROYAL BRAND

**ENDRINE EMULSIFIABLE
CONCENTRATE**

Contains 1.6 Lbs. Technical Endrin Per Gallon

ACTIVE INGREDIENTS

Endrin (Hexachloroepoxyoctahydro-endo, endo-dimethanonaphthalene)

Petroleum Hydrocarbons

INERT INGREDIENTS:

By Weight

19.5%

70.0%

10.5%

100.0%

TOTAL



DANGER: Keep Out Of Reach Of Children.

See antidote statement and other warnings on the side panels.

POISON

POISON



GENERAL DIRECTIONS

Royal Brand Endrin Emulsifiable Concentrate contains 1.6 pounds of Endrin per gallon. Royal Brand Emulsifiable Concentrate may be used in conventional hydraulic sprayers, low-volume ground applicators. Do not spray into or near fire or open flames. Do not smoke while spraying.

Keep away from children and domestic animals. Wear a mask or respirator of a type passed by the U. S. Bureau of Mins. Treatment should not be made to areas while occupied by unprotected humans or beneficial animals. When workers must enter fields within 5 days of a spray application, they should be protected. They should be kept out of such treated areas for at least one hour after treatment.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is toxic to bees and should not be applied when bees are actively visiting the area. Do not reuse container. Destroy when empty. Crush and bury.

Manufactured By

Southern Agricultural Chemicals, Inc.

KINGSTREE, SOUTH CAROLINA

Manufacturers name, address and net contents printed on container.

ROYAL BRAND

ENDRINE EMULSIFIABLE CONCENTRATE

Contains 1.6 Lbs. Technical Endrin Per Gallon

ACTIVE INGREDIENTS	By Weight
Endrin (Hexachlorocyclopenta-hydro-endo, endo-dimethanonaphthalene)	19.5%
Neum Hydrocarbons	70.0%
INERT INGREDIENTS:	10.5%
TOTAL	100.0%

DANGER: Keep Out Of Reach Of Children.

See antidote statement and other warnings on the side panels.

POISON

GENERAL DIRECTIONS

POISON

Royal Brand Endrin Emulsifiable Concentrate contains 1.6 pounds of Endrin per gallon. Royal Brand Emulsifiable Concentrate may be used in conventional hydraulic sprayers, low-volume ground sprayers. Do not spray into or near fire or open flame. Do not smoke while spraying.

Keep away from children and domestic animals. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines. Treatment should not be made to areas while occupied by unprotected humans or domestic animals. When workers must enter fields within 5 days of a spray application, they should be kept out of such treated areas for at least one hour after treatment.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep away from lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is toxic to bees and should not be applied when bees are actively visiting the area. Do not reuse container. Destroy when empty. Crush and bury.

Manufactured By

Southern Agricultural Chemicals, Inc.

KINGSTREE, SOUTH CAROLINA

ANTIDOTE—Internal: If any of the insecticide is swallowed, give a tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Keep victim prone and quiet. **External:** If skin is contacted, wash immediately with soap and water. Call a physician immediately. **Note to Physician:** In case of poisoning, administer barbituates as for anti-convulsant therapy. Observe patient carefully since repeated treatment may be needed. **WARNING:** Do not spray into or near fire or open flame. Do not smoke while spraying. Keep away from children and domestic animals. Wear a mask or respirator of a type

MIXING DIRECTIONS

Mix Royal Brand Endrin Emulsifiable concentrate with water by agitation or by circulating the mixture through the spray pump and back into the tank. A proper water mixture will have the appearance of a milky emulsion


passed by the U. S. Bureau of Mines for Endrin protection. Treatment should not be made or allowed to drift to areas while occupied by unprotected humans or beneficial animals. When workers must enter fields, within 5 days of a spray application, they should be protected. They should be kept out of such treated areas for at least one hour after treatment. Do not apply nor allow to drift where dairy animals or animals being finished for slaughter may be grazing. Use this product only for recommended purposes and at recommended dosages.

with no free oil on the surface. Agitate before use until a uniform milky emulsion is formed. Agitation is also necessary when mixing with oil.

NOTE: A precipitate may deposit in cold water. In such case, warm gently and agitate until redissolved before using. **DANGER!** Poisonous by skin contact, inhaled or swallowing! Rapidly absorbed through skin. Spray mist extremely hazardous. Fire Hazard!

Keep away from heat and open flame. Do not get in eyes, on skin or clothing. Do not breathe spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Clean up spillage. Do not use indoors without adequate mechanical exhaust ventilation. Use clean clothing daily

and wear clean clothing. In case of contact, immediately remove all contaminated clothing and flush with plenty of water for at least 15 minutes. For eyes, get medical attention. Wash clothing before re-use.



E.P.A. Reg. No. 3743-282