

FOR COMMERCIAL/AGRICULTURAL USE ONLY

MANEB NO. 6 DUST
WITH 3/4% LINDANE

A COMBINED INSECTICIDE AND FUNGICIDE DUST

For use on Cucumbers-for the control of Downey Mildew and
Aphids, Mellonworms and Pickleworms.

ACTIVE INGREDIENTS:


Maneb (Manganese Ethylenebisdithiocarbamate) - - -	4.20%
not less than - - - - -	- - - - -
Lindane (Gamma Isomer of Benzene Hexachloride) - -	.75%
INERT INGREDIENTS: - - - - -	95.05%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

NOTICE: Follow directions carefully. Timing and method of application, weather and crop condition, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

F.P.A. Reg. No. 3743-287
F.P.A. Est. No. 3743-SC-1



BEST DOCUMENT AVAILABLE

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Harmful if swallowed. May be absorbed through skin. Avoid contact with skin and eyes. Avoid breathing dust. Do not contaminate feed or foodstuffs. Keep away from children and domestic animals. Wash hands and face thoroughly after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT:

If swallowed-Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If inhaled -Remove victim to fresh air. Apply artificial respiration if indicated.

If on Skin -Remove contaminated clothing and wash affected area with soap and water.

If in Eyes -Flush eyes with plenty of water. Call a physician if irritation persists.

NOTE TO PHYSICIAN:

Signs and Symptoms- Apprehension, dizziness, headache, weakness, twitching, convulsions, respiratory depression and coma are typical symptoms. Ingestion orally may result in convulsions, tremors as first symptoms.

Antidotes: Diazepam (suggested anti-convulsant) or Pentobarbital. For ingested poisoning Emesis (syrup of Ipeca) followed by 30 gm activated charcoal is suggested (to absorb remaining toxicant in gut).

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds, and other wildlife, Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

BEST DOCUMENT AVAILABLE

Best Document Available

DIRECTION FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DO NOT APPLY BY AIRCRAFT:

APPLICATORS must wear the following protective clothing during the application process: long-sleeved shirt, long pants, waterproof gloves, full foot covering, and a head covering. MIXER/LOADER must wear goggles or face shield, waterproof apron, and waterproof gloves.

CUCUMBERS: For the control of Downey Mildew and Aphids, Mellonworms and Pickleworms. Use 55 to 60 lbs. per acre depending on the size of plants. Begin application by the time plants have 6 to 8 leaves. Continue application every 5 to 7 days. Do not use with 5 days of harvest.

STORAGE AND DISPOSAL:

Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

STORAGE

Keep this product in a tightly closed container when not in use. Store in cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material.

PESTICIDE DISPOSAL

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

BEST DOCUMENT AVAILABLE