

The Sign of Quality

ACCEPTED

Apr 16, 1973

**RECEIVED THE FEDERAL BUREAU OF INVESTIGATION
U.S. DEPARTMENT OF JUSTICE
COMM-FBI
FEB 11 1968
SEARCHED INDEXED SERIALIZED FILED
FBI-BIRMINGHAM**

ACCEPTED

PR 16 1973

**UNITED STATES GOVERNMENT
Pesticides and Rodenticides Act
Registration and Register
Under No. [REDACTED]**

GENERAL DIRECTIONS.

Prepare a spray mixture of BEAN-TOX 82 as follows:

1. Add about half of the total amount of water to be used to the spray tank.
 2. Start agitator or pump bypass and add proper amount of



~~DANGER - POISON - PRECAUTIONS~~



STOP - READ

DIRECTIONS FOR USE ON SOYBEANS.

Apply 2.0 pints of BEAN-TON to beans, bean leaf beetles, corn gall midges, Mexican bean beetle, stink bugs, etc., spray diluted with water. For aerial application, 3 to 4 gallons per acre.

CULTIVATION Avoid spring sowing as
it will not germinate. Do not plant out until
plants are well rooted. Sow in pots or boxes in
a cold frame. Prick out seedlings when large
enough to handle. Pot up the strongest plants
and keep them in a cold frame until required.
Slaughter them in the autumn.

the yield of 1970, 1971, and 1972, and the results were as follows:

allow him
to land crops
intended for
the market
by the
water.

Cameraman's Note
Poor Copy

Manufacturers name, address and net contents printed on container.

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if

Harmful by skin contact

... le fatal

THE LIFE

Keep birds and
weather
dry. Do not ap-

ACTIVE INGREDIENTS

¹⁴Toxaphene
D, O-Dieldrin O-,
Xylo-

Inert Ingredients

^aTechnical chlorinated
67% to 69%.
Ethyl Paraffin.

Each gallon of 2
pint oil and 2 pounds of talc
control the following insects:
Beetles, Slugs, Snails, etc.
Chiggers, Fleas, Ticks, etc.

SOUTHERN AFRICA

Poison—Precautions



STOP - READ LABEL BEFORE USING!

POLISON

**See side panels
for antidote
and precautions**

DANGER

**Keep out of reach
of children**

CAN KILL YOU

**Royal Brand
BEAN-TOX 82**

ACTIVE INGREDIENTS

*Toxaphene	6.5
O, O-Diethyl O-(2-methylpropyl) Phosphotungstate	16.0
Xylene	10.7
Inert Ingredients	5.1
TOTAL	100.00

Technical chlorinated Camphor - chlorine Content
67% to 69%)

Ethyl Parathio

Each gallon of PELAN-10X will contain 5 pounds toxaphene and 2 pounds ethyl-methium. Use directed will control the following insects: Armyworms, Aphids, Mexican Bean Beetle, Stink Bug, Corn-choppers, Corn Rootworms, Greenworms, Beetles, Fleas, etc.

Manufactured
by the U.S. Steel

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes (2) Wear safety goggles (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection (4) Wear heavy duty, natural rubber gloves

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there's danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to potassium and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come take victim to clinic or hospital.

AFTER WORK: take off work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions recommended with respirator.

POISON SIGNS (symptoms)

Parenchymal lung diseases can be brought on by exposure to irritants or to skin surface irritants. Coughing will usually be the earliest symptom to appear. Exposed persons must receive prompt medical treatment if they may due to serious complications. Some of the signs and symptoms of pneumonia are: fever, chills, headache, chills, rumpus, and cough. Other symptoms may include: shortness of breath, pain and restlessness, sweating, talkative, and a desire to drink water, plus, ie spasms, delirium.

FIRST AID TREATMENT

On the other hand, some of the more distant species have not been compared to any others, but do not seem to be closely related to any of those which have been examined. The species which have been examined are all very similar, and it is difficult to separate them definitely. Indirect counting by stereoscopic finger-suspension has been used to determine the number of eggs per female, and the results are given in Table I.

NOTE TO PHYSICIANS

total dose of 10 mg/kg, but the optimum dose is 2-3 times this amount. The sedative effect of this drug is similar to that of the barbiturates, but it has less pronounced hypnotic properties. It is also a potent analgesic. The sedative effect of PENTAMIN is similar to that of the barbiturates, but it has less pronounced hypnotic properties. It is also a potent analgesic. The sedative effect of PENTAMIN is similar to that of the barbiturates, but it has less pronounced hypnotic properties. It is also a potent analgesic.