

The Sign of Quality

UNDER THE FEDERAL INSECTICIDE  
FUNCTIONS AND REGULATIONS ACT  
FOR ECONOMIC PESTS CONTROL  
ED UNDER NO. 3743-298  
EQ APPROVED PRODUCT

3743-298

3743-298

**Royal Brand Methyl Parathion 4 Emulsifiable** contains 4 lbs. of Methyl Parathion per gallon and is an emulsifiable concentrate that mixes readily with water.

**DIRECTIONS FOR USE**

Crop: Cotton.

Diseases: None.

Insects: Aphids, Boll Weevils, Cotton Leaf Perforator, Leaf Worms, Spider Mites.

Immediately prior to use, mix the material with water. A good practice is to dilute the material with not to exceed an equal amount of water, and then add the diluted emulsion to the required amount of water. Agitate the material continuously while mixing and applying.

Applications of this material should begin when an infestation reaches the point where control is required. Full coverage of plants during applications is essential to good control. Use Methyl Parathion 4 Emulsifiable at the rate of 2 pints per acre in sufficient water to provide uniform coverage. Applications should be made at 3 to 5 day intervals depending upon the severity of the infestation and local conditions.

Methyl parathion will control the Tumidus and Deserterum species of spider mites but will not control the Bimaculatus (two-spotted) species.


Workers entering treated fields within 24 hours after application should wear protective clothing.

**THOROUGH COVERAGE IS NECESSARY**

Do not apply on cotton within 15 days of hand-picking.

Cotton which has reached the green stage of maturity should be sprayed by hand or machine.

This product is toxic to many beneficial insects such as bees, ladybugs, and other insects which are helpful in the control of pests. Do not apply to flowers or other plants which are visited by bees.



**DANGER-POISON-PRECAUTIONS**

**POISONOUS IF SWALLOWED**

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.

**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hands, spilled or splashed on skin, in eyes, or on clothing (liquid goes through clothes.)

**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal.

**POISONOUS TO BIRDS AND WILDLIFE**

This product is toxic to birds and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions are such that drift may occur. Do not apply to flowers or other plants which are visited by bees. This product is highly toxic to bees exposed to direct treatment. Do not apply to flowers. Do not apply to...

STOP - RI

**POISON**  
See side panels  
for antidote  
and precautions

**METHYL**

Manufacturers name, address and net contents printed on container.

**POISON—PRECAUTIONS** 

**STOP - READ LABEL BEFORE USING!**

**DANGEROUS IF SWALLOWED**  
can kill you if swallowed even in

**DANGEROUS BY SKIN CONTACT**  
Irritated by contact with skin. Wash off immediately with plenty of water.

**DANGEROUS IF BREATHED**  
Irritates the respiratory tract. Avoid breathing vapors.

See side panels  
for antidotes  
and precautions



**DANGER**  
Keep out of reach  
of children

**KEEP YOU**

**METHYL PARATHION EMULSIFIABLE**

**FOR USE**

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

- (1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
- (4) Wear heavy duty natural rubber gloves.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT:** Before removing gloves, wash them in soap and water. Always wash hands, face and body with soap and water before, during and after use. Wear protective clothing. Wash protective clothing in hot water. Wash water should be poured into a container for disposal.

**POISON SIGNS - Symptoms**

...with all skin surfaces. Exposed persons should be washed with plenty of water. Symptoms: nausea, vomiting, diarrhea, weakness, dizziness, sweating, headache, and chills.

**FIRST AID TREATMENT**

...which has been... If a doctor is not available, take victim to clinic or hospital. Repeat treatment if necessary. Do not induce vomiting unless directed by a doctor. Do not give anything by mouth to unconscious persons. Do not give anything by mouth to persons who are having convulsions.

1 gallon  
12 fluid  
oz  
1 qt  
1 pt