

100
PM12
3743-299

Mr. Arthur T. Bass, III
Southern Agricultural Chemicals, Inc.
P.O. Box 527
Kingstree, SC 29556

BEST AVAILABLE COPY

3/18/83

Dear Mr. Bass:

Subject: Toxaphene Cancellation Notice
Product Name: Cotton-Tox-MP-82
EPA Registration No. 3743-299
Your Submission Dated February 8, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Please make the labeling changes listed below before you release the product for shipment.

1. The Statement of Practical Treatment must appear on the front panel of the labeling and in the following format:

If swallowed: _____
 If inhaled: _____
 If in eyes: _____
 If on skin: _____

2. After the Directions for Use Statement add "It is a violation of Federal law to use this product in a manner inconsistent with its labeling."
3. The headings "Precautionary Statements," followed by "Hazards to Humans and Domestic Animals," "Environmental Hazards," "Physical and Chemical Hazards" must appear on the label followed by the appropriate wording. Refer to 40 CFR 162.
4. Delete the emesis statement directing the accident victim to drink warm salty water. Use the following:

If swallowed - Call a physician or Poison Control Center.
 Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

| CONCURRENCES | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|
| SYMBOL ▶ | | | | | | | | |
| SURNAME ▶ | | | | | | | | |
| DATE ▶ | | | | | | | | |

BEST AVAILABLE COPY

5. In the re-entry section of your label add "Workers entering treated fields within 48 hours must wear protective clothing."
6. Revise your container disposal to read:

HAZARDOUS WASTE

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

7. Delete directions specific to application rates and timing because these will be provided with labeling for an emergency exemption finding.

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

BEST AVAILABLE COPY

TS-767:J.ELLENBERGER:DCR-28946:WANG-3066C:tar:Raven:479-2013:3/14/83

BEST AVAILABLE COPY

AVAILABLE COPY

PESTICIDE
Applicators or persons
uses covered by the

BEFORE USING!

DANGER

DU

- MP - 82

USE

Triphosphate
16.8
10.7
5.9
TOTAL
Chlorine Content
100.0

BY
Chemicals, Inc.
NEWLAND, N. C.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING
(1) Wear water proof pants that hat rubber boots or rubber overboots. (2) Wear safety goggles. (3) Wear mask or respirator approved by the US Bureau of Mines for paraithion protection. (4) Wear heavy duty natural rubber gloves.

WORK SAFETY RULES
Keep all unprotected persons and children away from treated area or where there is danger of drift.
Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to paraithion and describe his condition. After first aid is given (see First Aid Treatment Section) the victim cannot walk, take steps to clinic or hospital.
IMPORTANT! Before removing gloves, wash hands with soap and water. Always wash hands and arms with soap and water before eating, drinking or smoking.
AFTER WORK: Take off all work clothes and shoes. Wash them separately and wear them only at home. Wash your face and neck with soap and water. Wash your hands and face with soap and water after each use. Wash your clothes and protective equipment with soap and water after each use.
First Aid Treatment: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to paraithion and describe his condition. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is conscious, induce vomiting by giving 1-2 glasses of water. If vomited, repeat. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN
Antidote: administer atropine sulfate in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as symptoms are observed. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidote and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Paraithion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS. Treat symptomatically.
NOTICE: Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of the material not in strict accordance with directions given hereon.

EPA Reg. No. 8743-299
EPA EST. 8743-80A

HAZARDS TO HUMANS

Protective clothing and respirators are required for all applicators and other persons involved in mixing, loading, transferring or otherwise handling this pesticide. Protective clothing must consist of hat, impermeable gloves, rubber or synthetic rubber boots or boot covers, long-sleeved shirts and long pants. Full-face respirators are recommended; half-face respirators are required. In lieu of compliance with the protective measures required for applicators, users may use closed systems methods of mixing, loading and handling. However, it is recommended that mixers and loaders wear water proof gloves. Aerial applicators in positive pressure cockpits and other applicators in comparable group equipment with appropriate filters at all air intakes need not comply with these protective clothing requirements.

HAZARDS

This product is highly toxic to fish, birds and other wildlife. Use of this product may be fatal to birds and other wildlife. Do not spray over lakes, streams, ponds, wetlands and estuaries. Do not apply where drift is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Overspray of this product into water at application rates recommended on this label may be fatal to shrimp and crab; do not apply where these are important resources. Apply this product only as specified on this label.

AGRICULTURAL
EPA Label
MAR 18 1983