

Buildings Having Basements or Crawl Spaces

Dig a trench along the outside of the foundation walls. In brick or hollow block or concrete foundations, dig a trench to, but not below, the footing. Then as the trench is refilled, treat the soil at the rate of 4 gallons per 10 linear feet for each foot of depth. A trench 2 feet deep

would require 12 gallons per 10 linear feet.

Termite Control Application: Use chlordane in a 1% water emulsion. For the control of termites, add 1 pint of 72% Chlordane concentrate to 12 gallons of water. The objective is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment. It is suggested that you consult the State Extension Service for advice.

Household Application: For the control of roaches or waterbugs, add 1½ tablespoonfuls of 72% Chlordane concentrate to 1 quart of water and thoroughly spray infested cracks and other hiding places of adjacent exposed surfaces where they crawl when they come out of hiding. Repeat treatment when necessary. For spot application only.

For the Control of Ants — Add 1½ tablespoons of 72% Chlordane Concentrate to 1 quart of water and thoroughly spray ant trails and areas around door sills and window frames where they enter. It is desirable to treat the openings around water pipes, heat ducts, electrical outlets and baseboards where ants may come into rooms from wall spaces or partitions. Repeat treatments as often as necessary to maintain effective control.

Application to Dogs: Add ½ pint of 72% Chlordane Concentrate to 20 gallons of water to be used as a spray or dip to control lice, fleas, ticks, sarcoptic mange on dogs, wetting the hair thoroughly.

Do not use on cats or suckling pups or bitches suckling pups for mange. Repeat treatment at 7-10 day intervals for 2 or more applications as needed. Always use fresh solutions. Fresh bedding should be placed in animal quarters following treatment.

DO NOT USE ON DAIRY ANIMALS.

E.P.A. Reg. No. 3743-310

Royal Brand
CHLORDANE
Spray Concentrate

NET CONTENTS: 1 Gal.

ACTIVE INGREDIENT:

*Tech. Chlordane 72.00%

*(Equivalent — 43.2% Octachloro-4,

7-methanotetrahydroindane and

28.8% Related Compounds.)

INERT INGREDIENTS 28.00%

100.00%

**WARNING: Keep out of Reach of
Children**

NOTICE: Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. See other precautions on the back/side panel.

Manufactured By
**Southern Agricultural
Chemicals, Inc.**

P. O. Box 527
KINGSTREE, S. C. 29556

DIRECTIONS

Add directly to tank while filling with water. Tobacco and Tomato — Against wireworms use ½ pint per 50 gallons of water. Wet soil to top of ridge around plants. Use 250 to 300 gallons of water per acre.

ROYAL BRAND Chlordane Spray is a special emulsifiable chlordane for use in transplanting water against wireworms. It mixes readily with water and stays in emulsion without additional stirring during the normal period required for use. This product in transplanting water establishes a zone of protection around the roots of the newly set plants, allowing the roots to develop and the plants to become established. Do not use on Soil around tomato plants after the fruit begins to form.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Use this product only as directed on this label.

WARNING

Contact with skin can cause Toxic symptoms. Avoid inhalation and skin contact. In case of spillage on skin, wash immediately with soap and water. Avoid contamination of feed and foodstuffs. Harmful or fatal if swallowed.

Do not reuse empty container. Destroy and bury in a safe place.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.


Do not use this product in or around dairy barns or milk rooms or poultry houses or pens and buildings for animals being finished for slaughter.

ANTIDOTE

EXTERNAL — In case of spillage on skin. Wash thoroughly with soap and water.

INTERNAL — Give one tablespoonful of table salt (Sodium Chloride) in glass of warm water and repeat until vomit fluid is clear.

CALL A PHYSICIAN AT ONCE



Manufacturers name, address and net contents printed on container.