

DANGER

Do not get in eyes or on skin or clothing. Do not breathe fumes. Wear natural or
gloves, protective clothing and goggles. In case of contact wash immediately with
and water. Wear a mask or respirator that has been passed by the U.S. Bureau of Mines.

thoroughly with soap and water before eating or smoking. Wash all contaminated
clothing with soap and hot water before re-use.

This product is toxic to fish, birds and other wildlife. Do not spray on
faces may be hazardous to birds and other wildlife. Keep out of lakes, streams, etc.
Do not apply where runoff is likely to occur. Do not apply when weather conditions may
drift from areas treated. Do not contaminate water by cleaning of equipment or disposal
of wastes. Apply this product only as specified on this label.
This product is highly toxic to bees exposed to direct treatment or drift. For more
Protective information may be obtained from your Cooperative Agricultural Extension Ser-
vice.

FIRST AID TREATMENT

IF SWALLOWED: Give a tablespoon of salt in a glass of warm water. Repeat until
vomit fluid is clear. Have patient lie down and keep quiet. CALL A PHYSICIAN!

INHALATION: Remove patient from contaminated atmosphere.

SKIN: In case of contact, remove contaminated clothing and immediately wash
the skin with soap and water.

EYES: In case of contact, flush immediately with water for at least 10 minutes.

INFORMATION FOR PHYSICIAN (TREATMENT: Give atropine, preferably by repeat
doses of 1 to 1.5 mg 2 to 4 times a day and every hour or often as needed to a total
of 10 mg. Atropine sulfate (PAM) is also antidotal and may be administered
with atropine. Never give morphine. Clear chest by postural drainage. Art
respiration may be necessary if breathing is severely impaired. Observe patient until
symptoms have cleared.

CONTAINER DISPOSAL

DO NOT reuse or refill this container. Do not pour into other containers.

GLASS CONTAINER: Break into small pieces and place in a container for disposal.

METAL CONTAINERS:
1 GALLON CANS: Wash thoroughly with soap and water. Rinse with water.
Do not use for food or drink.

5 GALLON, 30 GALLON, 55 GALLON DRUMS: Wash thoroughly with soap and water.
Do not use for food or drink.

40 GALLON DRUM: Wash thoroughly with soap and water. Do not use for food or drink.


NEVER REUSE for food or drink.

Royal PIC-MO Cotton Spray

3743-314
ACCEPT
AUG 3 1973
U.S. DEPT. OF AGRICULTURE
OFFICE OF THE FEDERAL INSPECTOR
FOR PROTECTION AND ENFORCEMENT
OF THE FEDERAL INSECTICIDE
ACT AND RELATED PESTICIDE
LAW
SUBJECT

EMUSIFIABLE LIQUID

(Contains 1.6 lb. Endrin and 1 lb. Guthion per gallon)

DANGER POISON  **KEEP OUT OF REACH OF CHILDREN**
See Antidote Statement and Other Precautions on the back/side panel.

ACTIVE INGREDIENTS:

- Endrin (Hexa-chlorocyclo-octahydro-endo-endo-dimethanonaphthalene) 17.94%
- Permethrin (1-cis-3-(4-chlorophenyl)-2,2-dimethyl-3-(4H)-ylmethyl] 10.96%
- Phosphoric dihydrate* 10.96%
- Light Petroleum Aromatic Hydrocarbon Solvent 66.54%

INERT INGREDIENTS:

- Water 4.56%
- Other 100.00%

DANGER: Poisonous if swallowed inhaled or absorbed through skin. Rapidly absorbed through skin. See side panel for additional required warning statements.

DO NOT USE, POUR SPILL OR STORE NEAR HEAT OR OPEN FLAME. NOT FOR USE OR STORAGE IN OR AROUND THE HOME

Manufactured By
Southern Agricultural Chemicals, Inc.
NEW BERN, N. C. Kingstree, S. C.

55 GALLON DRUM — 5 gallon
Rotate container carefully until
solution at least 10 minutes de
DANGER: Do not use for food or
drink. Do not use for food or
drink.

From time to time, rotate
the drum to keep the solution
uniformly mixed. Do not per-
tempt to pour more than 5 c

Application should be made
with proper spraying equip-
ment. This product is an emulsifiable
control of certain insects at
For early season control of a
material in sufficient water to
For mid and late season contr
and other plant bugs and leaf
water to give good coverage.
Care should be taken that this
not spray areas.

Cotton which has received ap-
proval for animal feeding fin-
to such animals. Do not apply
on the day of application. Do
Do not allow the material to
manure or other animal matter
to be present in the feed and
Do not allow the material to
be present in the feed of
**WORKERS, APPLICATORS, THE
AND OTHER PERSONNEL.**

Royal PIC-MO

3743-314
ACCEPT Cotton Spray

EMUSIFIABLE LIQUID

AUG 3 1973
 RECEIVED BY THE FEDERAL INSTITUTE OF PESTICIDE AND ROBOTICS CONTAINS 1.6 lb. Endrin and 1 lb. Guthion per gallon

DANGER POISON



KEEP OUT OF REACH OF CHILDREN

See Antidote Statement and Other Precautions on the back/side panel.

ACTIVE INGREDIENTS:

Endrin (Hexachlorocyclopentadiene-endo-endo-dimethanonaphthalene)	17.94 %
O,O-Dimethyl O-[4-oxo-1, 2, 3-benzotriazin-3-(4H)-ylmethyl] phosphorodithioate*	10.96 %
Xylene Range Aromatic Hydrocarbon Solvent	66.54 %

INERT INGREDIENTS:

Endrin (Hexachlorocyclopentadiene-endo-endo-dimethanonaphthalene)	100.00 %
---	----------

DANGER: Poisonous if swallowed inhaled or absorbed through skin. Rapidly absorbed through skin. See side panel for additional required warning statements.

DO NOT USE, POUR SPILL OR STORE NEAR HEAT OR OPEN FLAME. NOT FOR USE OR STORAGE IN OR AROUND THE HOME

Manufactured By
Southern Agricultural Chemicals, Inc.
 Newland, N. C. Kingstree, S. C.

55-GALLON DRUM — 5 gallons water, 2 lb. caustic soda household lye), 1 cup detergent. Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.
DANGER: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes or on clothing. Wash thoroughly with copious amounts of water. Flush mouth with water if swallowed.

DO NOT REUSE THIS CONTAINER
 Punch holes in top of container and burn in hot fire until all paint has been completely burned off. Do not reuse this container for any other purpose. Containers are completely empty and that you should get away from them and to wash. Do not attempt to burn more than 1 container at one time.

RECOMMENDATIONS

Application should be made only by experienced personnel using approved protection equipment.
 This product is an emusifiable concentrate that mixes readily with water for use in the control of certain insects attacking cotton.
For early season control of aphids, thrips, and fleahoppers use 1 pint per acre of this material in sufficient water to give good coverage.
For mid and late season control of boll weevil, bollworm, thrips, aphids, fleahoppers, lygus and other plant bugs and leafworm use 1-1/2 -2 pints per acre of this material in sufficient water to give good coverage.
 Care should be taken that this material is not allowed to drift onto neighboring crop or non-crop areas.

USAGE CAUTION

Cotton which has received applications of this insecticide should not be grazed by dairy animals or animals being finished for slaughter. Do not feed trash from treated cotton to such animals. Do not apply within 7 days of hand picking. Workers entering fields on the day of application should wear protective clothing.
 Do not allow this material to drift onto neighboring crop or non-crop areas or use in a manner or at a time other than in accordance with directions, because plant injury, excessive residues or other undesirable results may occur.
 Dealers should sell in Original Packages Only.
WORKERS ENTERING THE FIELDS WITHIN 24 HOURS AFTER APPLICATION OF ENDRIN AND GUTHION SHOULD WEAR PROTECTIVE WATER PROOF CLOTHING.
 Use only as recommended.
 For aircraft application use with 100-200 gallons of water per acre. Do not apply until growth and good weather conditions have developed. Use 1-2 pints per acre of water per acre.

E.P.A. REG. NO. 3743-314

in container.