



FOR COMMERCIAL/AGRICULTURAL USE ONLY

ROYAL BRAND
LINDANE 25-W

ACTIVE INGREDIENTS:

Gamma Isomer of benzene hexachloride	
(from Lindane) - - -	25%
INERT INGREDIENTS - - -	75%
TOTAL	100%


KEEP OUT OF REACH OF CHILDREN
WARNING

NOTICE: Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

MANUFACTURED BY
Southern Agricultural Chemicals, Inc.
Pinestree, South Carolina

I.I.A. Reg. No. 3743-324
I.I.A. Est. No. 3743-SC-1

BEST DOCUMENT AVAILABLE



PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. May be absorbed through skin. Avoid contact with skin and eyes. Wash hands and face thoroughly after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT:

If swallowed- Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If inhaled- Remove victim to fresh air. Apply artificial respiration if indicated.

If on Skin- Remove contaminated clothing and wash affected area with soap and water.

If in Eyes- Flush eyes with plenty of water. Call a physician if irritation persists.

NOTE TO PHYSICIAN:

Signs and Symptoms-Apprehension, dizziness, headache, weakness, twitching, convulsions, respiratory depression and coma are typical symptoms. Ingestion orally may result in convulsions, tremors as first symptoms.

Antidotes: Diazepam (suggested anti-convulsant) or Pentobarbital. For ingested poisoning Pepsin (syrup or Ipecac) followed by 30 or activated charcoal is suggested (to absorb remaining toxicant in gut).

ENVIRONMENTAL PRECAUTIONS:

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

BEST DOCUMENT AVAILABLE

DIRECTION FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DO NOT APPLY BY AIRCRAFT.

APPLICATORS must wear the following protective clothing during the application process: long-sleeved shirt, long pants, waterproof gloves, full foot covering, and a head covering. MIXER/LOADER must wear goggles or face shield, waterproof apron, and waterproof gloves.

For squash vine borer, striped and spotted cucumber beetles, melonworms, pickleworms and aphids on cucurbits use at the rate of 1 lb. 25-W Lindane per acre with sufficient water for good coverage. Begin application on foliage when worms first appear and repeat weekly. DO NOT APPLY WITHIN 1 DAY OF HARVEST.

IMPORTANT: Do not use Lindane in fields to be planted later in potatoes or other root crops, as it may adversely affect their flavor.

STORAGE AND DISPOSAL:

Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

STORAGE

Keep this product in a tightly closed container when not in use. Store in cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material.

PESTICIDE DISPOSAL

Pesticide wastes are toxic, improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

BEST DOCUMENT AVAILABLE