

**WARNING**

May be fatal if swallowed.  
Can be absorbed through skin.  
Do not breathe vapors or spray mist.  
Do not get on skin, in eyes or on clothing.  
Avoid contamination of feed or foodstuffs.

**ANTIDOTE**

**INTERNAL:** Give sodium chloride 15 gm. (One table-spoonful of table salt) in glass of water and repeat until vomit is clear.

**EXTERNAL:** Wash with soap and water.


**PHYSICIAN'S NOTE:** Toxaphene produces central nervous system excitation which responds to barbituric acid derivatives. Prevent or control convulsions with barbiturates, preferably administered intravenously. If the barbiturate can be given before convulsions start, sodium nitobarbital is the drug of choice. Since toxaphene has fairly long duration of action, a long-acting barbiturate such as phenobarbital may be used after initial control of convulsions. Refer to "Clinical Handbook on Economic Poisons", which was prepared by the U. S. Department of Health, Education, and Welfare, Public Health Service, Communicable Disease Center, Atlanta Georgia.

**CALL A PHYSICIAN IMMEDIATELY.**

**WARNING**

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place, away from water supplies.



**ROYAL BRAND**

**CY-TOX EC**

**ACTIVE INGREDIENTS:**

**Toxaphene	56.4%
Malathion(O,O-dimethyl phospho-rodithioate of diethyl mercaptosuccinate)	14.1%
Xylene	23.8%
<b>INERT INGREDIENTS</b>	<b>5.7%</b>
	<hr/> 100.0%

\*\*Technical Chlorinated Camphene (containing 67-69% Chlorine)

(Each Gallon Contains 6 lbs. Toxaphene and 1.5 lbs. Malathion.)

**WARNING: Keep Out Of Reach Of Children**

Read Entire Label For Additional Handling Precautions.

Do not use, store, pour, spill or store near heat or open flame.

NET CONTENTS

**MANUFACTURED BY  
SOUTHERN AGRICULTURAL CHEMICALS, Inc.  
KINGSTREE, S. C.**

Do Not graze treated areas to dairy animals or animals being finished for slaughter

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not contaminate feed or foodstuffs.  
Keep container closed when not in use.  
Use only as directed on label.

**DIRECTIONS FOR USE**

**COTTON:**

**Early Season — For control of thrips, fleahoppers and plant bugs, apply one-third gallon of Cy-Tox per acre with sufficient water for thorough coverage. Make 2 to 3 applications at 7 day intervals starting at the two-leaf stage.**

**Mid and Late Season — To control Lollworms, boll-weevils and cotton leafworms, make repeat applications at 5 to 7 day intervals as counts indicate they are necessary. Apply Cy-Tox at the rate of one-third to one-half gallon per acre with sufficient water.**

**SOYBEANS**

For control of Velvet bean caterpillar, army worm, bean leaf beetle, Japanese beetle, Mexican bean beetle, corn ear worm.

Use one-third gallon to one-half gallon per acre depending on infestation and size of beans

**NOTICE;** Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

E. P. A. Reg. No. 3743-527

*Dec 13, 1973*

3743-327