


Southern AGRICULTURAL CHEMICALS, INC.

POST OFFICE DRAWER 527

Kingstree, S. C. 29556



The Sign of Quality



POISONOUS IF SWALLOWED

This product is highly toxic if swallowed even in small amounts. Spray mist may be fatal if inhaled.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin. Avoid contact with clothing or skin through contact.



POISONOUS IF BREATHED

Highly toxic if inhaled. Mist may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear a respirator which filters vapors and mists. Wear a long-sleeved shirt and trousers. Wear a hat and goggles. Wear gloves. Do not eat, drink, or smoke while using this product. After use, wash hands and face thoroughly. Wash clothes separately. Do not wear protective clothing if it is damaged or soiled. Do not use protective clothing if it is contaminated with this product. Do not wear protective clothing if it is contaminated with this product. Do not wear protective clothing if it is contaminated with this product. Do not wear protective clothing if it is contaminated with this product.

STOP - READ LABEL BEFORE USING!

3743-335

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

Royal Brand Boll Maker

Contains: 5 lbs. Toxaphene 2 lbs. Ethyl Parathion 1 lb Methyl Parathion Per Gallon

ACTIVE INGREDIENT(S)

*Toxaphene	46.49%
Parathion O, O-diethyl O-p-nitrophenyl phosphorothioate	18.60%
**O,O-dimethyl O-p-nitrophenyl phosphorothioate	9.29%
Xylene	12.85%
INERT INGREDIENT(S)	12.77%
*Technical Chlorinated Camphene (67%-69% Chlorine)	
**Methyl Parathion	100.00%

DIRECTIONS FOR USE

This product should be applied by trained personnel using approved protective equipment. Fill spray tank one-half with water then pour in specified amount of Boll Maker. Keep agitator running while filling tank and during spray application. For best control with ground equipment apply recommended amount of insecticide in 3 to 7 gallons of water per acre on cotton.

COTTON: For control of Cotton Leafworms, Fleahoppers, Red Spider Mites, Thrips, use 2 to 3 pints per acre. Bollworms and Bollweevils use 4 pints per acre at 4 to 5 day intervals until control is obtained. Workers entering fields within 24 hours after application should wear protective clothing.

SOYBEANS: For control of Two-Spotted Mites, Stink Bugs, Bollworms, Fall Armyworms, Green Cloverworms, Velvet Bean Caterpillars and Webworms, use 2½ to 3 pints per acre 21 days limitation prior to harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals, or animals being finished for slaughter. Do not feed soybean mill trash to live stock or poultry.

NOT FOR HOME USE

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator. **WARNING—Flammable!** Keep away from heat or open flame.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

If this product is inhaled, parathion is the dominant toxic ingredient even if dimethoxyphenyl phthalate is present. Stimulation of the para-sympathetic nervous system. Poisoning victims should be treated promptly with atropine to the limit of the victim's tolerance to relieve symptoms and to improve chances of survival. 2-PAM may be administered in conjunction

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

E.P.A. Reg. No. 374-335
E.P.A. Est. No. 374-SC-1

Southern


AGRICULTURAL CHEMICALS, INC.



The Sign of Quality

POST OFFICE DRAWER 527

Kingstree, S. C. 29556



DANGER POISON PRECAUTIONS

POISONOUS IF SWALLOWED

POISONOUS BY SKIN CONTACT

POISONOUS IF BREATHED

POISONOUS TO FISH AND WILDLIFE

STOP READ LABEL BEFORE USING!

3743-335

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

Royal Brand Boll Maker

Contains: 5 lbs. Toxaphene 2 lbs. Ethyl Parathion 1 lb. Methyl Parathion Per Gallon

ACTIVE INGREDIENT(S)

*Toxaphene	46.49%
Parathion O, O-diethyl O-p-nitrophenyl phosphorothioate	18.60%
**O,O-dimethyl O-p-nitrophenyl phosphorothioate	9.29%
Xylene	12.85%
INERT INGREDIENT(S)	12.77%
*Technical Chlorinated Camphene 2-69 Chlorine	
**Methyl Parathion	100.00%

DIRECTIONS FOR USE

This product should be applied by trained personnel using approved protective equipment. Fill spray tank one half with water then pour in specified amount of Boll Maker. Keep water running while filling tank and during spray application. For best control with ground equipment apply recommended amount of insecticide in 3 to 7 gallons of water per acre on cotton.

CONTROL - For control of Cotton Leafworms, Fleahoppers, Red Spider Mites, Thrips, use 2 to 4 pints per acre. Bollworms and Bollweevils, use 4 pints per acre at 1 to 5 percent bloom. Control is obtained. Workers entering fields within 24 hours after application should wear protective clothing.

PRECAUTIONS - For control of Two Spotted Mites, Six Spot, Bollworms, Fall Armyworms, Fleahoppers, Velvet Bean Caterpillars and Webworms, use 2 1/2 to 3 pints per acre at 1 to 5 percent bloom prior to harvest. Do not feed treated plants or animals. Do not feed treated plants to poultry, dairy animals or animals being finished for slaughter. Do not feed treated animal trash to live stock or poultry.

NOT FOR HOME USE

WORK SAFETY RULES

Apply as unpriced personnel only. Do not walk through treated area or where there is danger of drift.

Do not rub eye, or mouth with hands or clothes. Do not eat, drink, or smoke while working with this product. Do not use this product in areas where children play. Do not use this product in areas where children play. Do not use this product in areas where children play.

If you cannot come, take victim to clinic or hospital. Wash up after. Before removing gloves, wash them with soap and water. Always wash hands, take a good shower with soap and water before smoking, eating or drinking.

After work, take a good shower with soap and water. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

WARNING - Contains highly toxic chemicals. Do not breathe vapors. In case of contact, immediately flush with plenty of water. Wash contaminated clothing immediately.

NOTE TO PHYSICIAN

POISON SIGNS (Symptoms)

Headache, dizziness, nausea, vomiting, diarrhea, muscle twitching, weakness, loss of coordination, difficulty breathing, loss of consciousness.

First aid: If inhaled, move to fresh air. If on skin, wash with soap and water. If in eyes, flush with water for 15 minutes. If swallowed, do not induce vomiting. Seek medical attention immediately.

Keep this product out of reach of children and pets.

FIRST AID TREATMENT

Call a physician immediately. Do not induce vomiting unless directed to do so by a physician. Do not give anything by mouth to an unconscious person. If breathing has stopped, artificial respiration should be given. If swallowed, give 1-2 glasses of water. Do not give milk or fat.

If breathing has stopped, artificial respiration should be given. If swallowed, give 1-2 glasses of water. Do not give milk or fat. If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water.

If you cannot come, take victim to clinic or hospital. Wash up after. Before removing gloves, wash them with soap and water. Always wash hands, take a good shower with soap and water before smoking, eating or drinking.

After work, take a good shower with soap and water. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

NOTE TO PHYSICIAN

Headache, dizziness, nausea, vomiting, diarrhea, muscle twitching, weakness, loss of coordination, difficulty breathing, loss of consciousness.

First aid: If inhaled, move to fresh air. If on skin, wash with soap and water. If in eyes, flush with water for 15 minutes. If swallowed, do not induce vomiting. Seek medical attention immediately.

Keep this product out of reach of children and pets.

Do not breathe vapors. In case of contact, immediately flush with plenty of water. Wash contaminated clothing immediately.

Do not feed treated plants or animals. Do not feed treated plants to poultry, dairy animals or animals being finished for slaughter. Do not feed treated animal trash to live stock or poultry.