



The Sign of Qual.

WARNING: Hazardous Vapor and Liquid! May be fatal if swallowed, inhaled or absorbed through skin. Causes burns of skin and eyes. Do not get in eyes, or skin, or on clothing. Wear polyethylene gloves and goggles when handling material. Do not breathe vapor. In case of accidental spillage indoors, have available a self-contained breathing apparatus or a mask or respirator of a type passed by the U. S. Department of Agriculture for chlorinated C<sub>2</sub> hydrocarbon protection. In case of contact immediately remove contaminated clothing, including shoes, and wash with soap and water; for eyes, flush with plenty of water and get medical attention. Wash thoroughly after handling and before eating or smoking. Wash clothing and air shoes thoroughly before reuse. Do not store near feed or food products. To protect fish and wildlife, do not contaminate streams, lakes, or ponds with this material.

GENERAL

Royal Brand Bed Drench of weed seeds and nematodes used as a soil drench as follows:

Prepare soil for plant face crust at time of moderately moist. If dry, dilution of Royal Brand temperatures should range be F. or higher. In particular dosage as well as water. A drench. Plant the treated characteristic odor is out of soil or somewhat longer and of rain or low temperature avoid cultivating soil deep. Use this product only poses and at recommended

TOBACCO S

Royal Brand Bed Drench at the rate of 1 gallon in 50 gallons of water per 50 square yards in bed area. If soil is excessively dry, increase water to 100 gallons per 50 square yards.

NURSERY AND OTHER BEDS

Use Royal Brand Bed Drench at the rate of 1 1/4 fluid ounces in 1 gallon of water for 16 square feet to give 1/2 inch penetration. For deeper penetration increase water to 2 to 3 gallons for the same area.

POISON



WARNING: - Harmful and flammable vapor and liquid. Poisonous if swallowed inhaled or absorbed through skin. Liquid is rapidly absorbed through the skin. Do not breathe vapor. Do not take internally. Avoid contact of liquid with the skin or clothing. Do not get in eyes. Use rubber gloves and goggles. Keep container closed. Keep away from heat and open flame. Store in cool place. Do not allow this product to come in contact with beneficial plants and animals.

FIRST AID TREATMENT

INTERNAL: Drink large amounts of warm water and induce immediate vomiting. CALL A DOCTOR IMMEDIATELY. Keep patient quiet.

EXTERNAL: In case of contact with the liquid, immediately flush skin or eyes with plenty of water. For eyes, flush for 15 minutes for eyes get medical attention.

NOTICE OF WARRANTY


Southern Agricultural Chemicals, Inc., warrants (its liability being limited to the purchase price of the product named on this label) that this product consists of the ingredients specified, but makes no other warranty or representation of any kind expressed or implied, including any warranty or representation regarding the effect or result of this product's use, whether or not the product is used in accordance with directions, and shall have no responsibility whatsoever for injury to persons, or loss or damage to property, resulting from the handling, storage, or use of this product. The user or buyer shall be deemed to have accepted these conditions, which may be varied only by agreement in writing signed by duly authorized representatives of the above-named company.

TOTAL 100.00%  
Warning: Keep out of Reach of Children  
Manufactured By

SOUTHERN AGRICULTURAL CHEMICALS, INC.

KINGSTREE, S. C.

Net Contents: One Gallon





The Sign of Quality

King...

6

### GENERAL DIRECTIONS

Royal Brand Bed Drench is effective in the control of weed seeds and nematodes in seed beds and is used as a soil drench as directed below.

Prepare soil for planting. Break up any surface crust at time of planting. Soil should be moderately moist. If dry, pre-wet or use increased dilution of Royal Brand Bed Drench. Soil temperatures should range between 50 and 60 degrees F. or higher. In particularly heavy soils increase dosage as well as water. Apply evenly as a surface drench. Plant the treated area only after characteristic odor is out of soil, usually 12 to 15 days or somewhat longer under favorable conditions of rain or low temperatures. After application avoid cultivating soil deeper than drench penetration. Use this product only for recommended purposes and at recommended dosages.

#### TOBACCO SEED BEDS

Royal Brand Bed Drench is used at the rate of 1 gallon in 50 gallons of water per 50 square yards in bed area. If soil is excessively dry, increase water to 100 gallons per 50 square yards.

#### NURSERY AND OTHER BEDS

Use Royal Brand Bed Drench at the rate of 1 1/4 fluid ounces in 1 gallon of water for 16 square feet to give 1/2 inch penetration. For deeper penetration increase water to 2 to 3 gallons for the same area.

Royal  Brand

## BED DRENCH

# KILLS WEED SEED AND NEMATODES

|   |           |
|---|-----------|
| ACTIVE INGREDIENTS:                                 | By Weight |
| Allyl Alcohol -----                                 | 68.20%    |
| 1, 3-Dichloropropene-----                           |           |
| 1, 2-Dichloropropane <i>and Related Chlorinated</i> | 30.00%    |
| <i>C<sub>3</sub> Hydrocarbons</i>                   |           |
| INERT INGREDIENTS:-----                             | 01.80%    |
| TOTAL -----   | 100.00%   |

WARNING: *Keep out of Reach of Children*  
Manufactured By

## SOUTHERN AGRICULTURAL CHEMICALS, INC.

KINGSTREE, S. C.

Net Contents: One Gallon

ACCEPTED  
5/19/67  
3743-57

### POISON



WARNING: — Harmful and flammable vapor and liquid. Poisonous if swallowed inhaled or absorbed through skin. Liquid is rapidly absorbed through the skin. Do not breathe vapor. Do not take internally. Avoid contact of liquid with the skin or clothing. Do not get in eyes. Use rubber gloves and goggles. Keep container closed. Keep away from heat and open flame. Store in cool place. Do not allow this product to come in contact with beneficial plants or animals.

#### FIRST AID TREATMENT

INTERNAL: Drink large amounts of warm water and induce immediate vomiting. CALL A DOCTOR IMMEDIATELY. Keep patient quiet.  
EXTERNAL: In case of contact with the liquid, immediately flush skin or eyes with plenty of water for at least 15 minutes; for eyes get medical attention; remove ~~and wash clothing before re-use.~~

#### NOTICE OF WARRANTY

Southern Agricultural Chemicals, Inc., warrants (its liability being limited to the purchase price of the product named on this label) that this product consists of the ingredients specified, but makes no other warranty or representation of any kind expressed or implied, including any warranty or representation regarding the effect or result of this product's use, whether or not the product is used in accordance with directions, and shall have no responsibility whatsoever for injury to persons, or loss or damage to property, resulting from the handling, storage, or use of this product. The user or buyer shall be deemed to have accepted these conditions, which may be varied only by agreement in writing signed by duly authorized representatives of the above-named company.