

DIRECTIONS FOR USE

Dilute the concentrate in required volume of water by stirring or agitation; agitate during application. If allowed to stand, re-agitate before use.

USE ON SOIL

WHITE GRUBS, JAPANESE BEETLE LARVAE, AND GREEN JUNE BEETLE LARVAE—In ornamental turf (not used for hay or grazing). Use 1 Tbs. Chlordane S in sufficient water to spray 1,000 sq. ft. Spray directly into the grass—early spring or late fall. Repeat annually as necessary. **DO NOT APPLY TO GRASS TO BE FED. DO NOT PASTURE ANIMALS ON TREATED TURF.**

For ~~crabgrass~~ apply to the soil surface and work into the top 1 inch of soil around setting plants.

WIREWORMS Use 1 Tbs. Chlordane S in sufficient water to spray 1,000 sq. ft. Work into top 3 inches of soil prior to the planting of the following crops: broccoli, cabbage, cantaloupe, cauliflower, collard, corn, cucumber, lettuce, onions, peas, pepper, beans, potatoes, watermelons, tomatoes, turnips, and watermelon.

USE ON CRABGRASS

LAWNS, ORNAMENTAL TURF—Crabgrass: Apply 1 1/2 pint Chlordane S in sufficient water to thoroughly cover 1,000 sq. ft. Timing of application is important and must be made before crabgrass seed germinates or sprouts. Check with State Agricultural Experiment Stations as application is most effective in areas in which definite seed germination occurs. In general, applications may be made from very early spring until 7 to 14 days prior to normal germination time. Do not use on newly seeded lawns.

CAUTION: Do not permit children or pets to go on treated lawn until the insecticide has been washed off the grass into the soil by drenching or sprinkling with water and grass has completely dried.

USE ON PLANTS

STRAWBERRIES To control strawberry crown borer, strawberry weevil, use 1 Tbs. in sufficient water to cover 1,000 sq. ft. For spittlebug and crown borer, apply to soil 2 weeks before berries appear. For strawberry weevil, apply prior to flower buds just before they open. **DO NOT APPLY TO STRAWBERRIES AFTER FRUIT STARTS TO FORM.**

CHLORDANE - 8

EMULSIFIABLE INSECTICIDE

ACTIVE INGREDIENTS:	
Technical Chlordane	73%
Petroleum Distillate	20%
INERT INGREDIENTS:	7%
Total	100%

Equivalent to 10.8% methachloros 1,1'-methanotetrahydrodane and 29.2% related compounds.

CONTAINS 8 POUNDS CHLORDANE PER GALLON

WARNING

KEEP OUT OF REACH OF CHILDREN

See side label for additional cautions.

Do not use, pour, spill or store near heat or open flame.

NET CONTENTS 1 QUART

Manufactured by

ECOLOGICAL PROTECTIVE CO., INC.
SHENANDOAH, IOWA 51601

DIRECTIONS FOR USE

USE ON LAWN

CHIGGERS, SOD WEBWORM, CHINCH BUGS (False Chinch Bug), and ANTS on lawns or ornamental turf (not used for hay or grazing). Use 1 1/2 Tbs. in sufficient water to cover 1,000 sq. ft. Apply when insects are first observed and repeat as necessary. **DO NOT FEED PLANTS TREATED WITH CHLORDANE.**

USE FOR FLIES

FLIES To control adult houseflies and maggots, use 1 pint of Chlordane S mixed in 5 gallons water to spray outside of buildings, manure piles and garbage cans and dumps. A minimum of 1 pint of finished spray should be used to cover 100 sq. feet of surface. Repeat as necessary. **DO NOT APPLY TO FARM ANIMALS. DO NOT APPLY INSIDE DAIRY BARN, MILK ROOM OR OTHER AREAS WHERE FOOD IS PROCESSED, HANDLED OR STORED. DO NOT USE IN POULTRY HOUSES.**

WARNING

Harmful if swallowed. Avoid breathing spray mist. Contact with skin causes toxic symptoms. In case of contact with skin, wash with soap and water. Avoid contamination of food and feeding stuffs. Do not use or store near heat or open flame. Protect from temperatures below 50° F. Retain spray container in a cool, dry, and fireproof place. Do not use or store in a place where it will be accessible to children, away from water supplies.

This product is toxic to fish and will be B.C.F. (Bait Casting Fish) if used in areas may be killed. Keep out of fish ponds and water. Avoid contact with fish and aquatic life.

Do not use empty containers. Do not use for purposes other than those intended. Do not use in a safe place.

Sealed containers for use limited to the use of the label. Do not place this or the label in any fire or heat to prevent any possible release of toxic materials and accept the responsibility of the user.

EPA Reg. No. 1270-99

SEE A MB1000

4-14-72
1/10-72