# DIRECTIONS

Plants should be in suitable place for spraying. Spray from all sides including under and upper leaf surfaces.

Hold container 12 to 18 inches from foliage. Use short one second bursts Avoid over wetting plants

Use BOMB on AFRICAN VIOLLET. IVY, BRACKEN and ROSTON FERN, FUCHSIA. RUBBER PLANT and similar plants. Spray for the control of APHIDS (plant lice), SPIDER MITES, exposed THRIPS, and certain other insects. Repeat applications as necessary. For Adult WHITE FLY, use frequent repeated applications. On Mealy Bugs, apply as above, using special care to lightly wet insects.

Avoid spraying plants such as Lantana, Maidenhair Fern, Moss Fern and Cyclamen. Do not spray or leave plants in hot sun or excessive high temperatures

Contracts 14 Av. 1925

JUDGA NEBBER

# Gurney's

ASSET FOME For African Violets and Other House Plants



# **CAUTION**

KEEP OUT OF THE REACH OF CHILDREN See side panel for additional cautions.

ACTIVE INGREDIENTS:	
Pyrethrins	0.025%
Kotenone	0.140%
Other Cube Resins	0.250%
*T^chnical Piperonyl Butoxide	0.250%
Petroleum distillate	0.102%
INERT INGREDIENTS	99.233%
*Equivalent to 0.20% of (butylearbityl)	(6-Propy)-

psperonvia ether and 0.05% of related compounds

## INSECT BOMB

A room Violety

An Insecticide-Miticide for use on Atrian Violets and Other House Plants. For control of MEALY BUGS, MITES, APHIDS, exposed THRIPS, ADULT WHITE FLY and certain other insects.

#### CAUTION

Harmful if swallowed or absorbed through skin. Avoid prolonged or repeated contact with skin. Contents of this can are under pressure; it should not be stored in a warm place or in sunlight. Remove fish bowls and bird cages from room being sprayed. Do not spray on plastics, asphalt tile or furniture.

How To Operate Remove protective cover. Be sure spray nozzle points outward. Press down on push button valve.

Mondain a for Gurney Seed & Nursery Co YANKTON S D 57678

# DIRECTIONS

Plants should be in suitable place for spraying. Spray from all sides including under and upper leaf surfaces.


Hold container 12 to 18 inches from foliage. Use short one second bursts. Avoid over wetting plants.

Use BOMB on AFRICAN VIOLLET, IVY, BRACKEN and BOSTON FERN, FUCHSIA, RUBBER PLANT and similar plants. Spray for the control of APHIDS (plant lice), SPIDER MITES exposed THRIPS, and certain other insects. Repeat approximations as necessary. For Adult WHITE FLY, use frequent repeated applications. On Mealy Bugs, apply as above, using special care to lightly wet insects.

Avoid spraying plants such as Lantana, Maidenhair Fern, Moss Fern and Cyclamen. Do not spray or leave plants in hot sun or excessive high temperatures.

Contents 14 Av 625

USDA Re No. 077,0456 104A-MBEPCO



INSECT BOMB For African Violets and Other House Plants



See side panel for additional cautions.

ACTIVE INGREDIENTS:	
Pyrethrins	0.025 %
Rotenone	0.140%
Other Cube Resins	
*Technical Piperonyl Butoxid	
Petroleum distillate	0.102%
INERT INGREDIENTS	0.102% 99.233%

Equivalent to 0.20% of (butylearbityl) (6-Propyl-piperonyl) ether and 0.05% of related compounds.

## INSECT BOMB

for African Violets

An Insecticide-Miticide for use on African Violets and Other House Plants. For control of MEALY BUGS, MITES, APHIDS, exposed THRIPS, ADULT WHITE FLY and certain other insects.

#### CAUTION

Harmful if swallowed or absorbed through skin. Avoid prolonged or repeated contact with skin. Contents of this can are under pressure; it should not be stored in a warm place or in sunlight. Remove fish bowls and bird cages from room being sprayed. Do not spray on plastics, asphalt tile or furniture.

How To Operate

Remove protective cover. Be sure spray nozzle points outward. Press down on push button valve.

Manufactured for

ECONOMY PRODUCTS COMPANY

SHENANDOAH, IOWA 5160!