

LABEL COPY
(front panel)

6/3/69

ECONOMY

READY-TO-USE
0.5% VAPONA^R INSECTICIDE
Spray or Fogging Solution

ACTIVE INGREDIENTS:	%/w
2,2-Dichlorovinyl Dimethyl Phosphate	0.465%*
Related Compounds	0.035%*
Petroleum Hydrocarbons	98.500%
INERT INGREDIENTS:	1.000%
	<u>100.000%</u>

*Equivalent to 0.5% VAPONA^R Insecticide
^RShell Chemical Company

(18 pt. type) WARNING
(12 pt. type) KEEP OUT OF THE REACH OF CHILDREN
See side panel for additional cautions

Do not use or store near heat or open flame

Net Contents ___ Gallon(s)

Manufactured by
ECONOMY PRODUCTS COMPANY
Shenandoah, Iowa 51601

ACCEPTED

JUN 30 1969

UNDER THE FEDERAL
INSECTICIDE AND RODENT
FOR ECONOMIC PROTECTION
ED UNDER 40 CFR 155
TO ATTACHED COMMENT

(side panel)

GENERAL DIRECTIONS

0.5% VAPONA Insecticide is a specially prepared ready-to-use insecticide for use in conventional hand, power or automatic spray equipment, electric, fogging or misting equipment.

DIRECTIONS FOR USE

ANIMAL BUILDINGS - Horse Stables, Dairy Barns, Auction &
Show Barns (Flies, Gnats, Mosquitoes)

Apply 0.5% VAPONA Insecticide as a fog or mist. 1 quart of a 0.5% solution will treat 8000 cubic feet (40 x 20 x 10). In dairy barns, before milking, the fog or mist can be applied over and round each animal to kill flies. Before applying, reduce air movement as much as possible by closing doors, windows and other openings. Do not use this solution for fogging or misting purposes in areas where animals have received a direct application

(18 pt. type) WARNING
(12 pt. type) KEEP OUT OF THE REACH OF CHILDREN
See side panel for additional cautions

ACCEPTED

JUN 20 1969

UNDER THE FEDERAL
FOOD, DRUG AND COSMETIC
ACT FOR ECONOMIC
PURITY AND STRENGTH
OF FOODS, DRUGS
AND COSMETICS
READ UNDER FEDERAL
TO ATTACHED COMMENTS

Do not use or store near heat or open flame

Net Contents ___ Gallon(s)

Manufactured by
ECONOMY PRODUCTS COMPANY
Shenandoah, Iowa 51601

(side panel)

GENERAL DIRECTIONS

0.5% VAPONA Insecticide is a specially prepared ready-to-use insecticide for use in conventional hand, power or automatic spray equipment, electric, fogging or misting equipment.

DIRECTIONS FOR USE

ANIMAL BUILDINGS - Horse Stables, Dairy Barns, Auction &
Show Barns (Flies, Gnats, Mosquitoes)

Apply 0.5% VAPONA Insecticide as a fog or mist. 1 quart of a 0.5% solution will treat 8000 cubic feet (40 x 20 x 10). In dairy barns, before milking, the fog or mist can be applied over and round each animal to kill flies. Before applying, reduce air movement as much as possible by closing doors, windows and other openings. Do not use this solution for fogging or misting purposes in areas where animals have received a direct application within 8 hours. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Do not apply regularly to calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

OTHER USES

ANIMAL BUILDINGS - MILK SHEDS, OUTDOOR AREAS (Flies, gnats,
mosquitoes, roaches, fleas, ants, sowbugs, brown dog ticks)

Apply 0.5% Vapona Insecticide as a coarse wet spray at the rate of one quart per 1,000 sq. ft. For milk sheds, stables, livestock barns, loafing sheds, pig pens and outdoor areas treat around doorways, feed storage rooms, alleyways and window sills. Do not contaminate milk or milking utensils.

In poultry houses, apply to manure, window sills, outside of penned enclosures and on floor of feed storage rooms.

label copy - Economy Ready-to-use 0.5% Vapona Insecticide

side panel - continued

OTHER USES - continued

Treat outdoor living areas, picnic grounds, backyard areas, patios, loading docks, outdoor latrines, parking areas, refuse areas around service stations, open-air drive-ins, ice cream stands, garbage collection and disposal areas.

In treating dog kennels apply to outside dog runways, window sills and ledges. For control of fleas and brown dog ticks increase dosage to two quarts 0.5% solution per 1000 sq. ft.

For control of fly maggots in maggot breeding areas such as garbage dumps and manure piles, apply at the rate of 1 to 2 quarts 0.5% solution per 100 sq. ft.

Before applying in enclosed areas, reduce air movement as much as possible by closing doors, windows and other openings. Do not treat animals or humans. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Repeat as necessary

WARNING: HAZARDOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, or foodstuffs. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

DECONTAMINATE AND DESTROY USED CONTAINERS: Do not reuse for any purpose. Decontaminate containers by rinsing thoroughly with water and detergent. Destroy containers by breaking and burying fragments in isolated area. Dispose of rinsings in a way as not to constitute a hazard, or contaminate potable water supplies.

NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes all risk to persons or property arising out of use or handling and accepts the product on these conditions.